





File ..HEM32\1\DATA\20161102\BIZ\BIZ2016-N02-WJ5.D Tgt Mass (EZX): 539.00  
 Injection Date : 2 Nov 16 4:18 pm +0800 Seq. Line : 0  
 Sample Name : BIZ2016-N02-WJ5 Location : P2-C-04  
 Acq. Operator : KFF(LCMS-02) Inj : 1  
 Spec. Reported : MS Integration Inj Volume : 1 ul  
 Acq. Method : D:\Chem32\1\METHODS\1-POS-3MIN.M  
 Analysis Method : D:\CHEM32\1\METHODS\1-POS-3MIN-PROSRSS.M  
 Catalog No : HY-17602 Batch#22322 Easy-Access Method: '1-POS-3MIN' 539.00  
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)  
 Gradient: 5% to 95%B within 1.3 min  
 Flow Rate :1.8ml/min  
 Column :SunFire C18, 4.6\*50mm,3.5um A-RP-186  
 Oven Temperature : 45C



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.54	0.03	12.20	7.13	0.79	540
1.57	0.02	1514.94	1290.36	98.58	540
1.93	0.02	9.66	7.26	0.63	233

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.54	0.03	7.34	4.30	0.62	540
1.57	0.02	1176.50	1006.05	98.98	540
1.93	0.02	4.74	3.78	0.40	233

Ret. Time: 1.56

<<<< POSITIVE SPECTRA >>>>

