Product Data Sheet

Inhibitors

Screening Libraries • Proteins

Quinolinic acid-13C₇

Cat. No.: HY-100807S1

CAS No.: 1346642-91-8

Molecular Weight: 174.07

Molecular Formula:

Target: Isotope-Labeled Compounds

13C₇H₅NO₄

Pathway: Others

Storage: Please store the product under the recommended conditions in the Certificate of

Analysis.

H¹³Ç, N₃C, OH H¹³C₃C, OH H O

BIOLOGICAL ACTIVITY

Description	Quinolinic acid- ¹³ C ₇ is the ¹³ C labeledQuinolinic acid(HY-100807) ^[1] . Quinolinic acid is an endogenous N-methyl-D-aspartate (NMDA) receptor agonist synthesized from L-tryptophan via the kynurenine pathway and thereby has the potential of mediating N-methyl-D-aspartate neuronal damage and dysfunction ^{[2][3]} .
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019 Feb;53(2):211-216.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA