


## (R)-(-)-Felodipine-d5

<b>Cat. No.:</b>	HY-132670S
<b>CAS No.:</b>	1217744-87-0
<b>Molecular Formula:</b>	C <sub>18</sub> H <sub>14</sub> D <sub>5</sub> Cl <sub>2</sub> NO <sub>4</sub>
<b>Molecular Weight:</b>	389.28
<b>Target:</b>	Calcium Channel; Autophagy
<b>Pathway:</b>	Membrane Transporter/Ion Channel; Neuronal Signaling; Autophagy
<b>Storage:</b>	Please store the product under the recommended conditions in the Certificate of Analysis.



### BIOLOGICAL ACTIVITY

<b>Description</b>	(R)-(-)-Felodipine-d5 is the deuterium labeled (R)-(-)-Felodipine. (R)-(-)-Felodipine is the S enantiomer of Felodipine. Felodipine, a dihydropyridine, is a potent, vasoselective calcium channel antagonist. Felodipine lowers blood pressure (BP) by selective action on vascular smooth muscle, especially in the resistance vessels. Felodipine, an anti-hypertensive agent, induces autophagy. Felodipine can cross the blood-brain barrier <sup>[1][2][3]</sup> .
<b>In Vitro</b>	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

### REFERENCES

- [1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother.* 2019;53(2):211-216.
- [2]. Johnson JD, et al. Calcium and calmodulin antagonists binding to calmodulin and relaxation of coronary segments. *J Pharmacol Exp Ther.* 1983;226(2):330-334.; Siddiqi FH, et al. Felodipine induces autophagy in mouse brains with pharmacokinetics amenable to repurposing [published correction appears in *Nat Commun.* 2019 Jun 4;10(1):2530]. *Nat Commun.* 2019;10(1):1817. Published 2019 Apr 18.; Yiu, S. and E.E. Knaus, Synthesis, biological evaluation, calcium channel antagonist activity, and anticonvulsant activity of felodipine coupled to a dihydropyridine-pyridinium salt redox chemical delivery system. *J Med Chem.* 1996. 39(23): p. 4576-82.

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA