


Boc-NH-PEG7-NH2

Cat. No.:	HY-140232		
CAS No.:	206265-98-7		
Molecular Formula:	C ₂₁ H ₄₄ N ₂ O ₉		
Molecular Weight:	468.58		
Target:	PROTAC Linkers		
Pathway:	PROTAC		
Storage:	Pure form	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



SOLVENT & SOLUBILITY

In Vitro

DMSO : ≥ 250 mg/mL (533.53 mM)
 * "≥" means soluble, but saturation unknown.

	Solvent Concentration	Mass		
		1 mg	5 mg	10 mg
Preparing Stock Solutions	1 mM	2.1341 mL	10.6705 mL	21.3411 mL
	5 mM	0.4268 mL	2.1341 mL	4.2682 mL
	10 mM	0.2134 mL	1.0671 mL	2.1341 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description	Boc-NH-PEG7-NH2 is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs ^[1] .	
IC ₅₀ & Target	PEGs	Alkyl/ether
In Vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	

REFERENCES

[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA