


PNPG

Cat. No.:	HY-15927
CAS No.:	2492-87-7
Molecular Formula:	C ₁₂ H ₁₅ NO ₈
Molecular Weight:	301.25
Target:	Biochemical Assay Reagents
Pathway:	Others
Storage:	-20°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



SOLVENT & SOLUBILITY

In Vitro

DMSO : ≥ 48 mg/mL (159.34 mM)
 H₂O : 10 mg/mL (33.20 mM; Need ultrasonic)
 * "≥" means soluble, but saturation unknown.

Preparing Stock Solutions	Solvent Concentration	Mass		
		1 mg	5 mg	10 mg
	1 mM	3.3195 mL	16.5975 mL	33.1950 mL
	5 mM	0.6639 mL	3.3195 mL	6.6390 mL
	10 mM	0.3320 mL	1.6598 mL	3.3195 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- Add each solvent one by one: PBS
Solubility: 25 mg/mL (82.99 mM); Clear solution; Need ultrasonic and warming and heat to 60°C
- Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline
Solubility: ≥ 2.08 mg/mL (6.90 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline)
Solubility: ≥ 2.08 mg/mL (6.90 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% corn oil
Solubility: ≥ 2.08 mg/mL (6.90 mM); Clear solution

BIOLOGICAL ACTIVITY

Description

PNPG(4-Nitrophenyl-β-D- glucopyranoside) is a chromogenic β-D-glucosidase substrate, producing a yellow solution upon cleavage.

CUSTOMER VALIDATION

- GCB Bioenergy. 2023 Mar 18.

See more customer validations on www.MedChemExpress.com

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA