


(-)-Cevimeline hydrochloride hemihydrate

Cat. No.:	HY-76772B
Molecular Formula:	C ₁₀ H ₁₇ NOS.HCl.1/2H ₂ O
Molecular Weight:	244.78
Target:	mAChR
Pathway:	GPCR/G Protein; Neuronal Signaling
Storage:	4°C, sealed storage, away from moisture * In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture)



HCl
0.5H₂O

SOLVENT & SOLUBILITY

In Vitro

H₂O : 100 mg/mL (408.53 mM; Need ultrasonic)

Concentration	Solvent	Mass		
		1 mg	5 mg	10 mg
Preparing Stock Solutions	1 mM	4.0853 mL	20.4265 mL	40.8530 mL
	5 mM	0.8171 mL	4.0853 mL	8.1706 mL
	10 mM	0.4085 mL	2.0427 mL	4.0853 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

(-)-Cevimeline hydrochloride hemihydrate ((-)-SNI-2011), a novel muscarinic receptor agonist, is a candidate therapeutic drug for xerostomia in Sjogren's syndrome. IC₅₀ value: Target: mAChR. The general pharmacol. properties of this drug on the gastrointestinal, urinary, and reproductive systems and other tissues were investigated in mice, rats, guinea pigs, rabbits, and dogs. The in vitro metab. of SNI-2011 was also evaluated with rat and dog liver microsomes. After oral administration, plasma concns. of SNI-2011 reached to C_{max} within 1 h in both species, suggesting that SNI-2011 was quickly absorbed, and then decreased with a t_{1/2} of 0.4-1.1 h. The bioavailability was 50% and 30% in rats and dogs, resp. Major metabolites in plasma were both S- and N-oxidized metabolites in rats and only N-oxidized metabolite in dogs, indicating that a large species difference was obsd. in the metab. of SNI-2011. Sex difference was also obsd. in the pharmacokinetics of SNI-2011 in rats, but not in dogs. In the in vitro study, chem. inhibition and pH-dependent studies revealed that the sulfoxidn. and N-oxidn. of SNI-2011 were mediated by cytochrome P 450 (CYP) and flavin-contg. monooxygenase (FMO), resp., in both species. In addn., CYP2D and CYP3A were mainly responsible for the sulfoxidn. in rat liver microsomes.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite F, Monmouth Junction, NJ 08852, USA