


Polidocanol

Cat. No.:	HY-B2106		
CAS No.:	9002-92-0		
Molecular Formula:	$(C_2H_4O)_n C_{12}H_{26}O$		
Target:	Others		
Pathway:	Others		
Storage:	Pure form	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



SOLVENT & SOLUBILITY

In Vitro	H ₂ O : 50 mg/mL (Need ultrasonic) DMSO : 50 mg/mL (Need ultrasonic)
In Vivo	1. Add each solvent one by one: PBS Solubility: 120 mg/mL (Infinity mM); Clear solution; Need ultrasonic

BIOLOGICAL ACTIVITY

Description	Polidocanol is a sclerosing agent used successfully to treat extremity and esophageal varices and telangiectasias.
In Vivo	Polidocanol (0.5%, 1%, and 2%) results in significantly more adhesions than tetracycline, whereas the effect of diluted polidocanol is similar to that of tetracycline in rats. The higher concentrations of polidocanol, of 0.5%, 1%, and 2% are more effective than either the diluted polidocanol or tetracycline against pleurodesis ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Cetin B, et al. Polidocanol at different concentrations for pleurodesis in rats. Surg Today. 2005;35(12):1066-9.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA