

Inhibitors

•

Screening Libraries

•

Proteins

B7-H4 Protein, Mouse (HEK293, His)

HY-P74394
V-set domain containing T-cell activation inhibitor 1; VTCN1; Protein B7S1; B7-H4
Mouse
HEK293
Q7TSP5 (F29-S256)
242122
Approximately 26.6 kDa

PROPERTIES	
Appearance	Solution
Formulation	Supplied as a 0.2 μm filtered solution of PBS, pH 7.4.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconsititution	N/A.
Storage & Stability	Stored at -80°C for 1 year. It is stable at -20°C for 3 months after opening. It is recommended to freeze aliquots at -80°C for extended storage. Avoid repeated freeze-thaw cycles.
Shipping	Shipping with dry ice.

DESCRIPTION	
Background	B7-H4 protein serves as a negative regulator of the T-cell-mediated immune response by suppressing T-cell activation, proliferation, cytokine production, and the development of cytotoxicity. Its significance is particularly pronounced when expressed on the cell surface of tumor macrophages, where it collaborates with regulatory T-cells (Treg) to play a crucial role in suppressing tumor-associated antigen-specific T-cell immunity. Beyond its immunomodulatory functions, B7-H4 is also implicated in promoting epithelial cell transformation, highlighting its involvement in diverse cellular processes associated with immune regulation and tumorigenesis.

Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA