

Product Data Sheet

EphB4 Protein, Human (HEK293, His)

Cat. No.:	HY-P77646
Synonyms:	EPHB4; HTK; MYK1; TYRO11
Species:	Human
Source:	HEK293
Accession:	P54760 (L16-A539)
Gene ID:	2050
Molecular Weight:	60-70 kDa

PROPERTIES	
FROFERIES	
Biological Activity	The enzyme activity of this recombinant protein is testing in progress, we cannot offer a guarantee yet.
Appearance	Lyophilized powder.
Formulation	Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4. Normally 5% trehalose is added as protectant before lyophilization.
Endotoxin Level	<1 EU/µg, determined by LAL method.
Reconsititution	It is not recommended to reconstitute to a concentration less than 100 $\mu\text{g}/\text{mL}$ in ddH_2O.
Storage & Stability	Stored at -20°C for 2 years. After reconstitution, it is stable at 4°C for 1 week or -20°C for longer (with carrier protein). It is recommended to freeze aliquots at -20°C or -80°C for extended storage.
Shipping	Room temperature in continental US; may vary elsewhere.

DESCRIPTION

BackgroundEphB4 protein, a receptor tyrosine kinase, engages in promiscuous binding to transmembrane ephrin-B family ligands
located on adjacent cells, initiating contact-dependent bidirectional signaling. The downstream pathway originating from
the receptor is termed forward signaling, while the signaling pathway downstream of the ephrin ligand is referred to as
reverse signaling. Collaborating with its cognate ligand, EFNB2, EphB4 is intricately involved in regulating cell adhesion and
migration. Moreover, EphB4 assumes a central role in heart morphogenesis, angiogenesis, and the remodeling and
permeability of blood vessels. The forward signaling mediated by EPHB4 is instrumental in controlling cellular repulsion and
segregation from EFNB2-expressing cells.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898Fax: 609-228-5909E-mail: tech@MedChemExpress.comAddress: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA