Ethylene glycol-13C2

Cat. No.: CAS No.: Molecular Formula: Molecular Weight: Target: Pathway: Storage:	HY-Y0338S1 104700-12-1 ¹³ C ₂ H ₆ O ₂ 64.05 Endogenous Metabolite Metabolic Enzyme/Protease Please store the product under the recommended conditions in the Certificate of Analysis	H2 HQ _{3C} ⁻¹³ OH H2
	Analysis.	

BIOLOGICAL ACTIVITY		
Description	Ethylene glycol- 13 C ₂ is the 13 C labeled Ethylene glycol[1].	
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	

REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019 Feb;53(2):211-216.

Caution: Product has not been fully validated for medical applications. For research use only.

Fax: 609-228-5909 E-mail: tech@MedChemExpress.com Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Product Data Sheet



Tel: 609-228-6898