

Natural Product Library (96-well)

Product Details:

Catalog Number:	HY-L021
Formulation:	A collection of 2089 natural products supplied as pre-dissolved DMSO solutions or Solid
Container:	96 Well Format Sample Storage Tube With Screw Cap and Optional 2D Barcode
Storage:	-80°C
Shipping:	Blue ice
Packaging:	Inert gas

Plate layout: HY-L021-1

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Tubercidin	Pyrrroloquinoline quinone	Pyrrroloquinoline quinone (disodium)	Varenicline (Tartrate)	9-amino-CPT	Nigericin (sodium salt)	Brevianamide F	Nanchangmycin	Dianemycin	meso-Erythritol	Empty
b	Empty	Ribitol	(-)-(S)-Equol	(±)-Equol	D-Glutamine	Spiramycin	Saponins	Urolithin A	Landiolol (hydrochloride)	Pirmenol (hydrochloride)	Hypotaourine	Empty
c	Empty	D-Glutamic acid	Kynurenic acid	Quinolinic acid	(R)-Serine	Guvacine hydrochloride	Bisantrene	Choline (bitartrate)	Sarcosine	D-erythro-Sphingosine	Acetylcholine (iodide)	Empty
d	Empty	Agmatine (sulfate)	Picrotoxin	Allopurinol riboside	Coproporphyrin III	γ-Glu-Phe	γ-Glu-Phe (TFA)	Deoxycytidine triphosphate	3-(Methylthio)propionic acid	Cyclo(his-pro) (TFA)	N-(5-Aminopentyl)acetamide	Empty
e	Empty	Nicotinamide N-oxide	O-Acetylserine	SDMA	4-Acetamidobutanoic acid	Iberin	L-DABA	Coenzyme Q9	Vanilpyruvic acid	Diethyl phosphate	(9Z,?11E)?-?Prodlure	Empty
f	Empty	Prostaglandin E2	Uridine 5'-monophosphate	6-Biopterin	Rapamycin	Toyocamycin	Methylmalonic acid	Blasticidin S hydrochloride	Zearalenone	Raltegravir (potassium salt)	3-Methoxytyramine	Empty
g	Empty	L-Kynurenine	Capsaicin	Secoisolaricresinol diglucoside	Betulinic acid	Efavirenz	Gatifloxacin	Gatifloxacin (hydrochloride)	Valproic acid	Valproic acid (sodium salt)	Smilagenin	Empty
h	Empty	Fosfructose (trisodium)	β-Cyclodextrin	Officinalisinin I	β-Elemene	Deserpidine	4-Butylresorcinol	Uridine triphosphate	Tetrahydrobiopterin	Oleoylethanolamide	Garcinol	Empty

Plate layout: HY-L021-2

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Guggulsterone	Ectoine	5-Methoxyflavone	4-Hydroxychalcone	5α-Cholestan-3β-ol	Ethylvanillin acetate	D-Melibiose	Flavonol	3-Aminopropionitrile fumarate	Methylcholate	Empty
b	Empty	5-Acetylsalicylic acid	Ketoisophorone	2-Phospho-L-ascorbic acid (trisodium)	Xylan	N-Acetyl-5-hydroxytryptamine	DL-Mevalonolactone	Veratryl alcohol	Aminoxyacetic acid hemihydrochloride	Inosine 5'-monophosphate	Gamithromycin	Empty
c	Empty	GW 501516	5α-Pregnane-3β,6α-diol-20-one	Arachidonic acid	D-(-)-Lactic acid	N2-Methylguanosine	3,4'-Dihydroxyflavone	3,7,4'-Trihydroxyflavone	Xanthocillin X permethyl ether	Aminomalonic acid	Prohydrojasmone racemate	Empty
d	Empty	6-(γ,γ-Dimethylallyl)amino)purine	N-Acetylhistamine	1,2-Distearoyl-sn-glycero-3-	D-Glucose 6-phosphate	9-Methoxycanthin-6-one	TFAP	Urocanic acid	1-Arachidoyl-sn-glycero-3-phosphocholine	Maltotriose	Elaidic acid	Empty
e	Empty	p-Hydroxymandelic acid	Angiotensin III (TFA)	5-Methyltetrahydrofolic acid	5,6-Dihydrouridine	Pseudouridine	3-Methyl-2-oxovaleric acid	Mevalonic acid (lithium salt)	Thiamine pyrophosphate	N-Acetylornithine	1-Methyladenosine	Empty
f	Empty	3-Hydroxyhippuric acid	Propionylcarnitine	Ethyl glucuronide	Paullinic acid	2-Oxovaleric acid	Indolelactic acid	N-Acetylputrescine	LysoPC(14:0/0:0)	Glycerol 3-phosphate	25-Hydroxycholesterol	Empty
g	Empty	5-Methylcytidine	1-Methylguanosine	N2,N2-Dimethylguanosine	3-Methyluridine	1-Methylinosine	Galactose 1-phosphate Potassium	Dodecanoylcarnitine	Butyrylcarnitine	N-Oleoyl glycine	Asymmetric dimethylarginine	Empty
h	Empty	Isovalerylcarnitine	p-Synephrine	Hydroxycotinine	trans-trans-Muconic acid	N8-Acetylspermidine	Oleoylcarnitine	(3-Carboxypropyl)trimethylammonium	3-Methyladipic acid	Leucyl-phenylalanine	Homogentisic acid	Empty

Plate layout: HY-L021-3

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	Ureidopropionic acid	4-Guanidinobutanoic acid	5'-Deoxyadenosine	Citraconic acid	1-Methyladenine	Alloepipregnanolone	3β-Hydroxy-5-cholenic acid	Amino adipic acid	Turanose	Nicotinic acid	Empty
b	Empty	Anserine	Cholesteryl arachidonate	Guanidinosuccinic acid	3-Hydroxybutyric acid	(S)-β-aminoisobutyric acid	N-Methylhydantoin	3-Hydroxyisovaleric acid	3-Methylglutaric acid	Deoxycorticosterone	Nepsilon-Acetyl-L-lysine	Empty
c	Empty	trans-Vaccenic acid	Nudifloramide	1,2-Dipalmitoyl-sn-glycerol 3-	10Z-Nonadecenoic acid	Melanin	Lathosterol	Sphingomyelin	Glycogen	N-Acetyl-L-aspartic acid	Methyl mycophenolate	Empty
d	Empty	delta-Valerobetaine	Encocyanin	(S)-(?)-Perillyl alcohol	Camalexin	Xanthopterin (hydrate)	2-Methoxyestra diol	Chelerythrine (chloride)	Vinorelbine (ditartrate)	7-Methylguanosine	Nicotinamide riboside (chloride)	Empty
e	Empty	20(S)-Hydroxycholesterol	Cycloheximide	N-Methylnicotinamide	Pentacosanoic acid	Rifamycin S	Glycodeoxycholic Acid	Ginsenoside F2	GS967	Uroithin B	Primaquine (Diphosphate)	Empty
f	Empty	Tizoxanide	Guanosine 5'-triphosphate (trisodium)	Bromocriptine (mesylate)	Rauwolfscine (hydrochloride)	D-?Glucose ?6-?phosphate	16-?Dehydroprogesterone	alpha-D-glucose	N-?Carbamoyl-?DL-?aspartic	Allyl methyl sulfide	Dimethyl trisulfide	Empty
g	Empty	Antineoplaston A10	Diethyl oxalpropionate	Phosphonoacetic acid	cis-?9,?10-?Epoxy stearic acid	Fagomine	LC3-mHTT-IN-AN2	Daunorubicin (Hydrochloride)	Isobavachalcone	Tripterin	Nestoron	Empty
h	Empty	Vinpocetine	Mitomycin C	Brofaromine	Gossypol	AICAR (phosphate)	Deguelin	Droxidopa	Epothilone A	Aloperine	Piceatannol	Empty

Plate layout: HY-L021-4

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Nocodazole	Amsacrine (hydrochloride)	β-Lapachone	Ascomycin	Betamethasone dipropionate	Chrysophanol	Cytarabine	Estramustine (phosphate sodium)	Etoposide	Daminozide	Empty
b	Empty	(-)-Epigallocatechin Gallate	Levoleucovorin (Calcium)	Goserelin (acetate)	Meropenem (trihydrate)	Meisoindigo	SN-38	Norepinephrine	Oglufanide	Oleandrin	Roquinimex	Empty
c	Empty	Rubitecan	Silibinin	Sulforaphane	Tacrolimus (monohydrate)	Tetrandrine	Topotecan (Hydrochloride)	Ursodiol	J-147	Vinblastine (sulfate)	Miquelianin	Empty
d	Empty	Pioglitazone	2-Deoxy-D-glucose	Indacaterol	Emodin	TBB	Chrysin	Kaempferol	Tectochrysin	Biochanin A	Genistein	Empty
e	Empty	Tramiprosate	(S)-Glutamic acid	L-Glutamic acid monosodium	[6]-Gingerol	Shogaol	Paradol	Zingerone	Retinoic acid	DHEA	Anamorelin	Empty
f	Empty	Levomefolic acid	Tedizolid (phosphate)	1-Deoxyynojirimycin	Avibactam (sodium)	Bardoxolone	Homoharringtonine	Imepitoin	5-Aminosalicylic Acid	Myricetin	L-Theanine	Empty
g	Empty	Sinomenine hydrochloride	O-Phospho-L-serine	Staurosporine	Doxorubicin (hydrochloride)	Trichostatin A	Dimethylcurcumin	Geldanamycin	SL 0101-1	Ivermectin	Avermectin B1	Empty
h	Empty	Hesperidin	Forskolin	Vortioxetine	Kaempferide	Cabazitaxel	DY131	Picropodophyllin	Podofilox	Salinomycin	Tulathromycin A	Empty

Plate layout: HY-L021-5

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Lucidin	Ansamitocin P-3	Dobutamine (hydrochloride)	Ellipticine (hydrochloride)	3,3'-Diindolylmethane	BTB06584	Arglabin	Butein	Camptothecin	Resveratrol	Empty
b	Empty	Irinotecan	Irinotecan (hydrochloride)	Narciclasine	10-Deacetylbaicalin III	Kanamycin (sulfate)	Irinotecan (hydrochloride trihydrate)	Colchicine	Oligomycin A	Brefeldin A	Folic acid	Empty
c	Empty	Cytochalasin B	5-Methylthioadenosine	Rifabutin	Doramectin	Loteprednol Etabonate	Vancomycin (hydrochloride)	Dimethyl fumarate	Benfotiamine	(-)-Huperzine A	(±)-Huperzine A	Empty
d	Empty	Genipin	Mevastatin	Nystatin	Limonin	Minocycline (hydrochloride)	Acyclovir	Valacyclovir (hydrochloride)	Boldenone Undecylenate	4'-Demethylepipodophyllotoxin	Azathramycin	Empty
e	Empty	Fosbretabulin (disodium)	Cefditoren (Pivoxil)	Cortisone	Cortisone (acetate)	Adrenosterone	Prednisolone	Mizoribine	Embelin	Ampiroxicam	Oxaceprol	Empty
f	Empty	Clarithromycin	Gossypol (acetic acid)	NMDA	sn-Glycero-3-phosphocholine	Actinomycin D	Demeclocycline (hydrochloride)	G-418 (disulfate)	2'-Deoxyguanosine	Bleomycin (sulfate)	Capreomycin (sulfate)	Empty
g	Empty	Nonivamide	Berberine (chloride hydrate)	Pneumocandin B0	Fidaxomicin	Buparvaquone	Griseofulvin	Dalbavancin (hydrochloride)	Solithromycin	Quercetin	Leupeptin (hemisulfate)	Empty
h	Empty	Berberine (chloride)	Bisphenol A	L-Thyroxine	3-Indoleacetic acid	1-Naphthaleneacetic acid	Lipoic acid	Lavendustin A	Rotterlin	Decursin	Anisomycin	Empty

Plate layout: HY-L021-6

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Hemin	SAH	Brusatol	Oxypurinol	trans-Zeatin	Impulsin	3-Furanoic acid	Methyl linolenate	Salsolidine	1-Aminocyclopropane-1-	Empty
b	Empty	Methoxsalen	Xanthotoxol	(S)-Leucic acid	D-(+)-Phenylactic acid	(S)-2-Hydroxy-3-phenylpropan	Mequinol	Setipiline (maleate)	Calcifediol	Triptolide	Triptonide	Empty
c	Empty	D-N-Acetylgalactosamine	2'-Hydroxy-4'-methylacetophenone	Purine	2,5-Dimethylpyrazine	(R)-Ornithine hydrochloride	Ethylmalonic acid	L-Hydroxyproline	Indole-3-carboxylic acid	2,3-Dimethoxybenzaldehyde	Octanoic acid	Empty
d	Empty	5-Amino-3H-imidazole-4-Carboxamide	o-Toluic acid	D-Alanine	D-Glucuronic acid lactone	Hydroquinine	(-)-Aspartic acid	Transcroctin meglumine salt	3 α ,12 β -Dihydroxycholeanoic acid	3-Methylxanthine	Ruxolitinib (phosphate)	Empty
e	Empty	Gefitinib	2-Amino-1-phenylethanol	N-Acetyl-L-leucine	Proparacaine (Hydrochloride)	2,4-Dihydropyrimidine-5-	3-Methylpyrazole	(R)-pyrrolidine-2-carboxylic	(-)-Menthol	Azetidine-2-carboxylic acid	Methyl vanillate	Empty
f	Empty	2-Hydroxy-4-methoxybenzoic acid	2-Hydroxyhexanoic acid	3-Hydroxybenzaldehyde	trans-4-Hydroxycyclohexanecarbo	Voriconazole	Monoammonium glycyrrhizinate	1H-pyrazole	Faropenem sodium	Galanthamine	Bergapto	Empty
g	Empty	Vitamin D2	p-Toluic acid	Chenodeoxycholic Acid	5-Hydroxy-1-tetralone	9-Dihydro-13-acetylbaccatin III	Cephalomannine	Cysteamine hydrochloride	Benzyl isothiocyanate	Cortodoxone	Thymine	Empty
h	Empty	(S)-(-)-Phenylethanol	L-Xylose	KSD 2405	MRE-269	Decitabine	Galanthamine (hydrobromide)	Dronedarone	Paliperidone	Palonosetron (Hydrochloride)	Fenspiride (Hydrochloride)	Empty

Plate layout: HY-L021-7

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Rufinamide	Gabapentin	Nifuratel	Malotilate	Liothyronine	Netilmicin (sulfate)	Cefotaxime (sodium salt)	Colistin (sulfate)	Nitrofurantoin	Tunicamycin	Empty
b	Empty	Sapropterin (dihydrochloride)	Histamine (phosphate)	Sulfalene	N-Acetyl-D-glucosamine	Phenprocoumon	Deslanoside	Diflorasone	Cilastatin	Adenosine monophosphate	Adenosine 5'-monophosphate	Empty
c	Empty	Cerulenin	Pristinamycin IA	Doxofylline	Docetaxel	Docetaxel (Trihydrate)	Paclitaxel	Voglibose	Valnemulin (Hydrochloride)	D-Cycloserine	Tropisetron	Empty
d	Empty	Melatonin	Acarbose	Artemisinin	Acitretin	Daptomycin	Oxcarbazepine	Tigecycline	Marbofloxacin	Diphylline	Aztreonam	Empty
e	Empty	Natamycin	Bestatin	Prilocaine	Aminophylline	Estradiol	Alpha-Estradiol	Niacin	Pefloxacin (mesylate)	Nicotinamide	Pregnenolone	Empty
f	Empty	Adenine	Cytidine	L-Ascorbic acid	L-Ascorbic acid sodium salt	Salicylic acid	Lithocholic acid	Olsalazine (Disodium)	Toltrazuril	Tinidazole	Guanidine (hydrochloride)	Empty
g	Empty	Ellagic acid	Cefoselis (sulfate)	Doripenem (monohydrate)	Mianserin (hydrochloride)	Cefaclor	Mycophenolate Mofetil	Cephalexin	Cefoperazone	Cefoperazone (sodium salt)	Prednisone	Empty
h	Empty	Acetylcysteine	Ethinyl Estradiol	Erythromycin	Amphotericin B	Albendazole	Nitrofurazone	Adenosine	Estrone	6-Aminocaproic acid	Amorolfine (hydrochloride)	Empty

Plate layout: HY-L021-8

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Guafenesin	Oxybutynin (chloride)	Enoxacin (hydrate)	Rifapentine	Rifampicin	Oxytetracycline	Ethionamide	Vidarabine	Acetylcholine (chloride)	Chloroxine	Empty
b	Empty	Penicillamine	Diphenhydramine (hydrochloride)	Carbidopa	Vitamin B12	Metronidazole	Tioconazole	Sulfamethoxazole	Levofloxacin	Levofloxacin (hydrate)	Menadione	Empty
c	Empty	Sulbactam	Rimantadine (hydrochloride)	Sarafloxacin (hydrochloride)	ATP (disodium salt)	Sodium Butyrate	Taurine	Ginkgolide A	Diclazuril	Lornoxicam	Tioproprion	Empty
d	Empty	Mecarbinat	Fosinopril (sodium)	Probuco	Dextrose	Atropine (sulfate monohydrate)	Sitafloxacin (hydrate)	Tebipenem pivoxil	Nalidixic acid	L-Carnitine	D-Sorbitol	Empty
e	Empty	Estril	Mycophenolic acid	Novobiocin (Sodium)	Quinine (hydrochloride dihydrate)	Roxithromycin	Spectinomycin (dihydrochloride)	Tobramycin	NAD+	L-Epinephrine (Bitartrate)	Methacycline (hydrochloride)	Empty
f	Empty	Miconazole (nitrate)	Isoprenaline (hydrochloride)	Medroxyprogesterone acetate	Neomycin (sulfate)	(R)-(-)-Phenylephrine	Streptomycin (sulfate)	Tetracycline (hydrochloride)	Arecoline (hydrobromide)	Hygromycin B	Bindarit	Empty
g	Empty	Danofloxacin (mesylate)	Enrofloxacin	Creatinine	Nadifloxacin	Ornidazole	Biotin	Mepivacaine (hydrochloride)	Tylosin (tartrate)	Tylosin	Ampicillin (sodium)	Empty
h	Empty	Octopamine (hydrochloride)	Ethambutol (dihydrochloride)	Pentamidine (isethionate)	Desloratadine	Oubain (Octahydrate)	Dibucaine (hydrochloride)	Cyclosporin A	Methylcobalamin	Nitisinone	Dirithromycin	Empty

Plate layout: HY-L021-9

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Butylphthalide	Eicosapentaenoic Acid	Eptifibatide	Dapsone	Nicergoline	Azelaic acid	β-Estradiol 17-acetate	Pentoxifylline	Ingenol Mebutate	Histamine (dihydrochloride)	Empty
b	Empty	Pazufloxacin (mesylate)	Dithranol	Citicoline	Citicoline sodium salt	Fumagillin	Hematoporphyrin	Acetyl-L-carnitine (hydrochloride)	Artemotil	Moxidectin	Milbemycin oxime	Empty
c	Empty	Fimasartan	Gastrodenol	Dihydroergotamine (mesylate)	Theophylline	Saicylamide	17-Hydroxyprogesterone	Benzyl alcohol	Anethole	Resorcinol	10-Undecenoic acid	Empty
d	Empty	10-Undecenoic acid (zinc)	Chlorindione	Succinylsulfathiazole	Danthron	Ethylparaben	Benzyl benzoate	6-Benzylaminourine	Paromomycin (sulfate)	Erythromycin Ethylsuccinate	Mupirocin	Empty
e	Empty	Sulfabenzamide	Phthalylsulfacetamide	Lobeline (hydrochloride)	Hydrocortisone 17-butyrate	Thiostrepton	Nithiamide	Hydroquinidine	Dehydrocholate (sodium)	Selenomethionine	L-Selenomethionine	Empty
f	Empty	Dinitolmide	4-Aminobenzoic acid	Vincamine	DL-Panthenol	Digoxigenin	Pantethine	Lanatoside C	Ftaxilide	Digoxin	Aceglutamide	Empty
g	Empty	DL-Xylose	Lasalocid	Lasalocid (sodium)	Cinoxacin	Afanaline	Gluconate (sodium)	Aklomide	Estradiol (cypionate)	Triclosan	L-Cycloserine	Empty
h	Empty	Glucosamine	Betamipron	Taurocholic acid (sodium salt hydrate)	Imazalil	Furaltadone (hydrochloride)	Clofocetol	Ajmaline	Lactulose	(+)-Camphor	Bekanamycin	Empty

Plate layout: HY-L021-10

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Cotinine	Hydrastinine	Hydrocortisone acetate	Meglutol	Nanofin	Estradiol (benzoate)	Tetramisole (hydrochloride)	Histamine	Atropine	Pipemidic acid	Empty
b	Empty	Broxyquinoline	Trimipramine (maleate)	Bronopol	Sisomicin (sulfate)	Anethole (trithione)	Ribostamycin (sulfate)	Dimetridazole	6-Acetamidoxanoic acid	Testosterone propionate	Sulfaquinoxaline (sodium salt)	Empty
c	Empty	2-Phenylethanol	Citric acid (trilithium salt tetrahydrate)	Quinidine hydrochloride monohydrate	(-)-Sparteine (sulfate pentahydrate)	4-Aminopurpuric acid	Chlortetracycline (hydrochloride)	Apramycin (sulfate)	Cyromazine	Furazolidone	Choline (chloride)	Empty
d	Empty	Carbadox	DL-Glutamine	Fusidic acid (sodium salt)	L-Omithine	Paroxypropione	Digitoxin	Lincomycin (hydrochloride hydrate)	Chlorquinaldol	Estropipate	Imipenem monohydrate	Empty
e	Empty	Dichlorisone acetate	D-Panthenol	Dehydroisoandrosterone 3-acetate	Phthalylsulfathiazole	i-Inositol	Tazobactam	Salicyl alcohol	9-Aminoacridine	Canrenone	Uridin	Empty
f	Empty	(±)-Carnitine (chloride)	Deoxyarbutin	1-Hexadecanol	Mezlocillin (sodium)	8-Azaganine	Deoxycorticosterone (acetate)	Serotonin hydrochloride	Emetine (dihydrochloride)	Emetine (dihydrochloride hydrate)	Moxalactam (sodium salt)	Empty
g	Empty	Acefylline	Vitamin K4	Cyclic AMP	α-Cyclodextrin	Anabasin	L-Canavanine sulfate	Sodium citrate (dihydrate)	Corticosterone	Flavin Adenine Dinucleotide	Glycerol	Empty
h	Empty	(+)-Kavain	(±)-Leucine	Methyl nicotinate	L-5-Hydroxytryptophan	Pregnenolone monosulfate	Proxiphylline	Puromycin (Dihydrochloride)	Pyridoxal phosphate	Pyridoxylamine	Pyridoxylamine (dihydrochloride)	Empty

Plate layout: HY-L021-11

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Quinidine	Rotenone	Santonin	Spermidine	Spermine	Sucrose	Terconazole	Tosufloxacin (tosylate hydrate)	Tricaprilin	Forchlorfenuron	Empty
b	Empty	Midecamycin	Dihydroisotanshinone I	Josamycin	Bis(2-ethylhexyl) phthalate	Carboxin	Escin	Valpromide	6-Methoxy-2-naphthoic acid	Maltitol	Lactose	Empty
c	Empty	Uric acid	Tryptamine	Scopolamine N-oxide hydrobromide	2-Aminobenzenesulfonamide	Menaquinone -4	Robenidine hydrochloride	Chondroitin (sulfate)	Docosahexaenoic Acid	Octenidine (dihydrochloride)	ATP	Empty
d	Empty	S-Methyl-L-cysteine	γ-Oryzanol	Dibenzoyl Thiamine	Stearic acid	Hinokitiol	Phosphorylcholine	Lecithin	DL-Lysine	L-Carnitine (hydrochloride)	4-Methylherniarin	Empty
e	Empty	Quinine	2'-Deoxycytidine	2'-Deoxyuridine	Gallein	Thymoquinone	Imidazole	Glutathione oxidized	Phosphocreatine (disodium)	Disodium 5'-inosinate	Sudan III	Empty
f	Empty	7-Amino-4-(trifluoromethyl)coumarin	NADH (disodium salt)	NADP (disodium salt)	β-Nicotinamide mononucleotide	D-(+)-Glucono-1,5-lactone	Epiandrosterone	N-Acetylneuraminic acid	Phthalic acid	Cytosine	Isovanillin	Empty
g	Empty	PCL 016	Isonicotinic acid	Uracil	L-Alloisoleucine	(-)-Epicatechin	(-)-Epicatechin gallate	Honokiol	Oridonin	Curcumin	Demethoxycurcumin	Empty

h	Empty	Bisdemethoxy curcumin	Geniposide	Geniposidic acid	Baohuoside I	Glycitin	Vitexin	Icariin	Astragalol	Glycitein	Bergenin	Empty
---	-------	-----------------------	------------	------------------	--------------	----------	---------	---------	------------	-----------	----------	-------

Plate layout: HY-L021-12

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Daidzin	Daidzein	Echinacoside	Verbascoside	Isoacteoside	Forsythiaside A	Forsythoside B	Poliumoside	Arctiin	Arctigenin	Empty
b	Empty	Costunolide	Albiflorin	Alantolactone	Ginsenoside Rb1	Ginsenoside Rb2	Ginsenoside Rb3	Ginsenoside Rc	Ginsenoside Rd	Ginsenoside Re	Ginsenoside Rg1	Empty
c	Empty	Notoginsenoside Fe	Polyphyllin I	Nuciferine	Sanguinarine (chloride)	Psoralen	Osthole	Chlorogenic acid	Isochlorogenic acid A	3,4-Dicaffeoylquinic acid	4,5-Dicaffeoylquinic acid	Empty
d	Empty	D-arabinose	Ferulic acid	Ferulic acid (sodium)	(E)-Ferulic acid	Ethyl ferulate	Angoroside C	Punicalagin	Macelignan	Eucalyptol	γ -Aminobutyric acid	Empty
e	Empty	Solasodine	Solamargine	Crotonoside	Brazilin	Bilobalide	Ginkgolic Acid	Praeruptorin B	Betulin	Betulinaldehyde	Dimethylfraxetin	Empty
f	Empty	N6-Methyladenosine	Gambogic Acid	Apocynin	Schisandrin B	Hypoxanthine	Inosine	Ancitabine (hydrochloride)	Ipriflavone	(S)-10-Hydroxycampothecin	Rotundine	Empty
g	Empty	Guanosine	Vanillin	Astragaloside A	Naringenin	Neohesperidin	Isoliquiritigenin	Sophocarpine	Curcumol	Rhein	Danshensu (sodium salt)	Empty
h	Empty	Cyclovirobuxine D	Physcion	Salidroside	Palmitate (chloride)	Dihydromyricetin	Evodiamine	Gastrodin	Hematoxylin	Indirubin	Lappaconitine (hydrobromide)	Empty

Plate layout: HY-L021-13

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Naringin Dihydrochalcone	(E/Z)-Polydatin	Polydatin	Sesamin	5-Hydroxytryptophan	Aloin	Dioscin	Diosmetin	Xanthone	Yohimbine (Hydrochloride)	Empty
b	Empty	Sciareolide	Shikimic acid	Synephrine (hydrochloride)	Tangeretin	Tanshinone I	Taxifolin	Tetrahydropapaverine (hydrochloride)	Theobromine	Troxerutin	Ursolic acid	Empty
c	Empty	Parthenolide	Phloretin	Phlorizin	Piperine	Puerarin	Quercetin (dihydrate)	Rutaecarpine	Rutin	Salicin	Monensin sodium salt	Empty
d	Empty	Neohesperidin dihydrochalcone	Nobiletin	Oleanolic Acid	Orotic acid	Oxymatrine	Paeonol	Kinetin	Luteolin	Magnolol	Matrine	Empty
e	Empty	Gramine	Gynostemma Extract	Hesperetin	Hydoxycholeic acid	Indole-3-carbinol	Beta-Sitosterol (purity>98%)	Caffeic acid	Cinchonidine	Cryptotanshinone	Cytisinicline	Empty
f	Empty	Dihydroartemisinin	Diosmin	18 β -Glycyrrhetic acid	Fisetin	Formononetin	Glycyrrhizic acid	Dipotassium glycyrrhizinate	Indole-3-butyric acid	4-Methylumbelliferone	Esculin	Empty
g	Empty	Aloe emodin	Amygdalin	Andrographolide	Arbutin	Artesunate	Asiatic acid	Azomycin	Baicalein	Baicalin	Nordihydroguaiaretic acid	Empty
h	Empty	Atractylenolide I	Atractylenolide II	Atractylenolide III	Pulchinoside A	Pulchinoside C	Kaempferol-3-O-glucorhamno	Cantharidin	D-Galactose	Peimine	Peiminine	Empty

Plate layout: HY-L021-14

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Peimisine	L-Phenylalanine	Benzoic acid	Benzoylaconine	Benzoylmesaconine	(+)-Bicuculline	Daurisoline	Epigoitrin	(-)-Epigallocatechin	Epiberberine	Empty
b	Empty	Epiberberine (chloride)	7-epi-Taxol	Scoparone	L-Alanine	β -Alanine	Bavachalcone	Psoralidin	Bavachin	Bavachinin	Bakuchiol	Empty
c	Empty	Corylin	Atractyloside A	Atractylodin	Herbacetin	Rhodiumin	Fraxinellone	Theaflavin	Saikosaponin A	Saikosaponin D	Catharanthine	Empty
d	Empty	Hederacoside C	alpha-Hederin	Hederagenin	Epimedin A	Epimedin A1	Epimedin B	Epimedin C	Cordycepin	Toosendanin	Tetramethylpyrazine	Empty
e	Empty	Asperosaponin VI	Hypaconitine	Irisfloreantin	Echinatin	Ononin	Echinocystic acid	Eleutheroside E	Brassinolide	Caffeic acid phenethyl ester	Aconine	Empty
f	Empty	Cardamonin	Corosolic acid	Daphnetin	Diacerein	Esculetin	Imperatorin	Isoimperatorin	Lycorine	Lycorine (hydrochloride)	Mangiferin	Empty

g	Empty	Oleuropein	Paeoniflorin	Protocatechuic acid	Protocatechu aldehyde	Sinensetin	Stachydrine	Tetrahydropal matine	5-Aminolevulinic acid	Euphol	Allicin	Empty
h	Empty	Salvianolic acid A	Salvianolic acid C	Caftaric acid	Cholesterol	Bilirubin	Cholic acid	L-Methionine	Lobetyolin	alpha-Mangostin	Ziyuglycoside I	Empty

Plate layout: HY-L021-15

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Yunaconitine	Indigo	3-Butylidenept halide	Eugenol	(-)-Syringaresnol-4-O-β-D-	Syringic acid	Scopolamine butylbromide	Scopolin	Scopoletin	Helicid	Empty
b	Empty	Methyl Paraben	p-Coumaric acid	Curdione	Anthraquinone	(+)-Catechin hydrate	(-)-Catechin gallate	Cynarin	Dihydrotanshinone I	Columbianadin	Sennoside A	Empty
c	Empty	Sennoside B	Trans-Anethole	Linalool	Bergapten	Pachymic acid	Licochalcone B	Licochalcone C	Liquiritin	Liquiritigenin	D-Mannitol	Empty
d	Empty	D-Mannose	Nardosinone	Galangin	Homovanillic acid	Gomisin J	Rhynchophylline	Gelsemine	Columbin	L-Glutamine	L-Citrulline	Empty
e	Empty	Polygalasapinin F	Glabridin	L-Cystine	Fructose	Wogonin	Artemether	Sinigrin	Picoside I	Picoside II	β-Carotene	Empty
f	Empty	Sesamoside	Trigonelline chloride	Cucurbitacin B	Cucurbitacin E	Quercitrin	Succinic acid	Cinobufagin	Sophoricoside	Cycloastragenol	Alismoxide	Empty
g	Empty	Obacunone	Diosbulbin B	Astragaloside IV	Astragaloside I	Astragaloside II	Astragaloside III	Engeletin	Progesterone	Asiaticoside	Neferine	Empty
h	Empty	2-Hydroxy-4-methoxybenzaldehyde	8-Gingerol	10-Gingerol	Sinapine (thiocyanate)	Acacetin	Hyperoside	Hypericin	DL-Arginine	L-Arginine	L-Arginine (hydrochloride)	Empty

Plate layout: HY-L021-16

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Cichoric Acid	L-Chicoric Acid	Corlagin	D-(-)-Quinic acid	Rebaudioside A	Rebaudioside C	L-Lysine	L-Lysine hydrochloride	L-Hyoscyamine	Geraniin	Empty
b	Empty	Tyrosol	Triptophenolide	Wilforlide A	Reserpine	Reserpine (hydrochloride)	Phillyrin	Phillygenin	Liensinine	Liensinine (Diperchlorate)	L-Leucine	Empty
c	Empty	Vincristine (sulfate)	α-Lipoic Acid	Gentiopicroside	Ruscogenin	11-oxo-mogroside V	Mogroside V	Lovastatin	Astilbin	Aristolochic acid A	Loganin	Empty
d	Empty	Erianin	Calycosin	Calycosin-7-O-β-D-glucoside	(+)-Gallic acid	(-)-Gallocatechin gallate	Gallic acid	Propyl gallate	Ethyl gallate	2"-O-Galloylhyperin	Pentagalloylglucose	Empty
e	Empty	Rosmarinic acid	Morrinoside	Xylose	Xylitol	Cynaroside	Pseudoginsenoside F11	Allantoin	Limonene	Ligustroflavone	(-)-α-Pinene	Empty
f	Empty	Wedelolactone	Gypenoside XVII	Escin IA	Escin IB	Oroxilin A	Lathyrol	Alizarin	Doxycycline (hydrate)	Hydroxysafflor yellow A	Madecassoside	Empty
g	Empty	Hydroxytyrosol	Purpurin	Umbelliferone	Pinocembrin	Apigenin 7-glucoside	Fraxin	Fraxetin	Qingyangshengenin A	Hydrocortisone	Demethylzeylasteral	Empty
h	Empty	Deapioplatyodin D	Dehydrodiisoeugenol	Corynoxene	Dehydrocostus Lactone	Demethyleneberberine	Deoxycholic acid	Deoxycholic acid sodium salt	Genistin	Panaxadiol	Panaxatriol	Empty

Plate layout: HY-L021-17

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Ginsenoside F1	Ginsenoside Rf	Ginsenoside Rg2	20(S)-Ginsenoside Rg3	Ginsenoside Rh1	Ginsenoside Rh2	Ginsenoside Rh3	Ginsenoside Ro	trans-Cinnamic acid	Cinnamic acid	Empty
b	Empty	Sucralose	Notoginsenoside R1	Trifolirhizin	Mulberroside A	Morin	Morusin	L-Tryptophan	Alpinetin	Sorbic acid	Kaempferitrin	Empty
c	Empty	Maslinic acid	Cimifugin	Prim-O-glucosylcimifugin	Eriocitrin	Eriodictyol	Punicalin	Kuromanin (chloride)	α-L-Rhamnose monohydrate	Carnosol	Carnosic acid	Empty
d	Empty	Dicoumarol	Silydianin	Silychristin	L-Serine	2,3,5,4'-Tetrahydroxystilbene 2-O-	D-Pinitol	(+)-Usnic acid	Pinoresinol Diglucoside	L-Threonine	Jujuboside A	Empty
e	Empty	Alliin	Amentoflavone	Aucubin	L-Aspartic acid	Aspartic acid (calcium)	L-Asparagine	Rubusoside	Tenacissoside H	Dehydrocorydalone	Dehydrocorydalone (chloride)	Empty

f	Empty	Dehydroandrographolide succinate	Kalii Dehydrographolidi	Icaritin	Retinyl acetate	Thiamine hydrochloride	D-Pantothenic acid	Pyridoxine (hydrochloride)	α-Vitamin E	Vitamin K1	Schisandrin C	Empty
g	Empty	Schisandrin	Schisandrol B	Schisandrin A	Schisantherin A	Sipeimine	Daphnoretin	α-Asarone	Schaftoside	Curculigoside	Vanillic acid	Empty
h	Empty	Coumarin	Carvacrol	Berberamine	Berberamine (dihydrochloride)	L-Valine	Neobavaisolavone	Neandrographolide	Neochlorogenic acid	α-Linolenic acid	Linoleic acid	Empty

Plate layout: HY-L021-18

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Genkwanin	Glucosamine (hydrochloride)	Coptisine (chloride)	Harmine	Stachydrine hydrochloride	Betaine (hydrochloride)	Jatrorrhizine (chloride)	Leonurine	Leonurine (hydrochloride)	Oxypaeoniflorin	Empty
b	Empty	Monocrotaline	Scutellarin	Scutellarein	Rhoifolin	Bornyl acetate	Barlerin	Isoferulic acid	Angelicin	Isorhynchophylline	Isorientin	Empty
c	Empty	Isoquercitrin	L-Isoleucine	Isomangiferin	Isovitexin	Isofraxidin	Isocorynoxine	Isorhamnetin	Isorhamnetin-3-O-glucoside	Isosilybin	Isolantalactone	Empty
d	Empty	Linderalactone	Eupatilin	Ginkgolide B	Ginkgolide C	Cryptochlorogenic acid	Lupeol	Tectorigenin	Protopine	Proanthocyanidins	Procyanidin B2	Empty
e	Empty	(20S)-Protopanaxadiol	Protodioscin	Protosappanin B	Alisol B (23-acetate)	Swertiamarin	Camphor	Timosaponin AIII	Phytic acid	Phytic acid (dodecasodium salt)	Resibufogenin	Empty
f	Empty	Chikusetsusaponin Iva	Catalpol	Shikonin	Lithospermic acid	Pterostilbene	Palmitic acid	Jaceosidin	L-Histidine	Pulsatilla saponin D	(20S)-Protopanaxatriol	Empty
g	Empty	Jervine	Veratramine	Cephalotaxin	Quillaic acid	Bruceantin	Bruceine A	Bevirimat	Micheliolide	Epibrassinolide	Dictamine	Empty
h	Empty	Benzoylhypaconine	Benzoylpaeoniflorin	Alisol A (24-acetate)	Alisol F	Alisol G	Gomisin G	Harringtonine	Methyl protodioscin	Ingenol	20-Deoxyingenol	Empty

Plate layout: HY-L021-19

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Ingenol-5,20-acetonide	Ingenol-5,20-acetonide-3-O-angelate	Ingenol-3,4,5,20-diacetonide	Isosteviol	Sagittatoside A	Sagittatoside B	IKarisoside A	Bufalin	Bufotalin	Cinobufotalin	Empty
b	Empty	Desacetylcinobufagin	Gamabufotalin	Telocinobufagin	Aloin B	Isoastragaloside I	Isoastragaloside II	Ginkgetin	Tubeimoside I	Tubeimoside II	AKBA	Empty
c	Empty	Tetrahydrocucumin	Octahydrocucumin	Inulicin	Corylifol A	Catechin	Wilforine	Cimiracemoside D	Corynoxine	Corynoxine B	Dihydrosanguinarine	Empty
d	Empty	Dihydrochelythrine	Ginsenoside C-K	Ginsenoside Rh4	Ginsenoside Rg5	Notoginsenoside Ft1	Rehmannioside D	Manninotriose	Ajugol	Melittoside	Desmethoxyangonin	Empty
e	Empty	Yangonin	Corydaline	Tetrahydroberberine	Columbamine	Hexahydrocucumin	Santacruzamate A	Androsterone	Ligustrazine (hydrochloride)	Coixol	Safflower yellow	Empty
f	Empty	β-Mangostin	Xanthoxylin	Xanthohumol	Vasicine (hydrochloride)	Tricin	Triacetone	D-(+)-Trehalose	D-(+)-Trehalose dihydrate	Thymidine	Apigenin	Empty
g	Empty	Squalene	Scabertopin	Reynoutrin	Royal Jelly acid	Herniarin	DL-Borneol	(+)-Borneol	(-)-Borneol	Fangchinoline	Sophoridine	Empty
h	Empty	Magnolin	20(R)-Ginsenoside Rg3	(E)-Cardamonin	Guaiaicol	Periplocin	2-Methoxycinnamic acid	4-Methoxycinnamic acid	Syringaldehyde	2-Methoxybenzoic acid	p-Anisic acid	Empty

Plate layout: HY-L021-20

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	20(R)-Ginsenoside Rh2	6-Methylcoumarin	Polygalaxanthone III	trans-Trimethoxyresveratrol	1,3-Dicaffeoylquinic acid	Sesamol	Rhamnose	Rhamnose (monohydrate)	Glycocholic acid	Glycoursodeoxycholic acid	Empty
b	Empty	Tiliroside	Raspberry ketone	Glycodeoxycholic acid (monohydrate)	Citric acid	Oxyresveratrol	Tabersonine	Oroxin B	Koumine	Afzelin	Complanataside	Empty
c	Empty	Isoquercetin	Oleic acid	Ganoderic acid A	Betulonic acid	Hypocrellin B	Apigenin-7-glucuronide	Chrysopterin	Atractylodeside (potassium salt)	Luteolin 7-O-glucuronide	Agarotretol	Empty
d	Empty	Nicotiflorin	Polygalic acid	(-)-Fucose	7β-Hydroxylathyrin	Astramembranin	Uronic acid	Oleanonic acid	14-Deoxy-11,12-didehydroand	Maltopentaose	Plumbagin	Empty

e	Empty	Nystose	Pulegone	Methyl deacetylasperulosidate	Loureirin B	Loureirin A	Pyrogallol	Halofuginone	Halofuginone (hydrobromide)	(2S)-2'-Methoxykurarinone	L-Praziquanamine	Empty
f	Empty	3,4-Dimethoxynamic acid	3,4-Dimethoxyphenol	4',5-Dihydroxyflavone	4-Allylcatechol	4-Hydroxyphenylacetic acid	4'-O-Methylbavachalcone	Danshensu	Ergothioneine	Dihydrocoumarin	Pristimerin	Empty
g	Empty	D(+)-Raffinose (pentahydrate)	Icariside I	β -Anhydrocaritin	Ailanthone	Nerolidol	Homoplantagin	Hispidulin	Gamma-Mangostin	Gibberellic acid	Triolein	Empty
h	Empty	Artemisic acid	Cucurbitacin IIb	Gypenoside XLIX	Theaflavin 3,3'-digallate	Chebularic acid	Veratric acid	Methyl gallate	Octyl gallate	Arteannuin B	Anacardic Acid	Empty

Plate layout: HY-L021-21

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Phosphoramidon (Disodium)	Castanospermine	Maltose monohydrate	Propylparaben	Taurochenodeoxycholic acid	Chebularic acid	Higenamine (hydrochloride)	Myristic acid	2,2':5,2''-Terthiophene	Racanisodamine	Empty
b	Empty	Withaferin A	Vanillyl alcohol	Didymin	Acevaltrate	Cedrol	(-)-Securinine	Handelin	Perillartine	Onjisaponin B	7-Ethylcamptothecin	Empty
c	Empty	Isoginkgetin	Sciadopitysin	Nigakinone	Isosakuranetin	Flavokawain B	7,4'-Di-O-methylapigenin	Combretastatin A4	Phorbol	Cytosporone B	Tomatidine	Empty
d	Empty	Tomatine	S-(+)-Marmesin	Pinosresinol dimethyl ether	Baimaside	Deoxyshikonicin	Bergamottin	Nootkatone	Rhapontigenin	N-p-trans-Coumaroyltyramine	Piceatannol 3'-O-glucoside	Empty
e	Empty	Hosenkoside A	Kurarinone	Deltonin	2''-O-Rhamnopyranoside II	Pleuromutilin	Fucoanthin	Aclacinomycin A hydrochloride	Kainic acid	Ibotenic acid	Mogrol	Empty
f	Empty	Podocarpic acid	4'-Demethylpodophyllotoxin	D-(+)-Cellobiose	Piperlongumine	Proscillaridin A	Glycochenodeoxycholic acid	Glycochenodeoxycholic acid (sodium)	11beta-Hydroxyprogesterone	Cholesterol myristate	D-(+)-Melezitose	Empty
g	Empty	Procyanidin C1	Procyanidin A2	Procyanidin A1	Cynaropicrin	Lauroitsine	Lauroitsine (hydrochloride)	N-Benzylpalmitamide	Chelidonine	27-Hydroxycholesterol	L-Quebrachitol	Empty
h	Empty	Chrysin-7-O-glucuronide	Allosecurinine	N-Benzoyl-(2R,3S)-3-phenylisoserine	Auraptene	Formosanin C	p-Hydroxycinnamic acid	Rhodiosin	[8]-Shogaol	Methylphenolphthalein	Amarogentin	Empty

Plate layout: HY-L021-22

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Aloesin	Maltotetraose	Desoxyrhaponticin	Demethylsuberosin	Deoxypodophyllotoxin	Carboxyatractyloside (dipotassium)	Gigantol	Coniferaldehyde	Steviolbioside	Maltohexaose	Empty
b	Empty	1F-Fructofuranosylmaltose	1-Kestose	Lupenone	Isocorydine	Isorhapontigenin	Brevilin A	3-O-Acetyl-16 α -hydroxytrame	α -Arbutin	Sakuranetin	Bruceine D	Empty
c	Empty	D-chiro-Inositol	Noreugenin	Xanthatin	Phytol	Ophiopogonin D	Mulberrin	Caryophyllene oxide	D-Arabitol	Platycodin D2	Astringin	Empty
d	Empty	5,7-Dihydroxy-4-methylcoumarin	Fucosterol	Decursinol	L-Fucitol	Glycycoumarin	Quercetagenin	Quercetagenin	Chrysophanein	Chebularic acid	Ginkgolide K	Empty
e	Empty	Pennogenin 3-O-beta-chacotrioside	Licochalcone E	Licoflavone A	Licochalcone D	Anemarrhena saponin I	1-Methyl-6-oxo-1,6-dihydropyridin	Methyl protogracillin	Coniferyl alcohol	4-Methylesculetin	3-Epiursolic Acid	Empty
f	Empty	Eurycomanone	Rosmanol	Gambogenic acid	Phosphorylethanolamine	Sinapine	β , β -Dimethylacrylshikonicin	α -Terpineol	3'-Hydroxypterostilbene	Bacopasaponin C	Bacopaside II	Empty
g	Empty	Pentanoic acid	Soyasapogenol B	Specneuzhenide	Timosaponin A1	7-Hydroxy-4H-chromen-4-one	Tryptanthrin	D-Glucuronic acid	Aflatoxin B1	6,2'-Dihydroxyflavone	3'-Methoxyflavonol	Empty
h	Empty	6-Methylflavone	7-Methoxyisoflavone	1-?beta-?D-?Arabinofuranosyluracil	6-Hydroxy-4-methylcoumarin	Calcimycin	Valinomycin	Filipin complex	Cyclopiazonic acid	Patulin	Myriocin	Empty

Plate layout: HY-L021-23

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Elemicin	Thymol	5,7,7',4'-Trimethoxyflavone	Hydroxy-? α -?sanshool	Asatone	Calenduloid E	4-Hydroxycoumarin	4-Hydroxyisoleucine	Abietic acid	Croctin	Empty
b	Empty	Angelic acid	(R,R)-Secoisolaricresinol	Pseudolaric Acid B	Juglone	Guaiazulene	Geraniol	Garcinone D	Lapachol	Ethyl Caffeaate	Cepharanthine	Empty
c	Empty	Crustecdysone	Baccatin III	Cimigenol	Methyl Eugenol	Perillyl alcohol	5,7,3',4'-Tetramethoxyflavone	Uridine 5'-diphosphoglucose	4'-Hydroxychalcone	Lactobionic acid	Tropine	Empty

d	Empty	Nerol	Spiculisporic acid	Sodium erythorbate	Dihydroferulic acid	D-?Arabinose	Citral	Dimethyl phthalate	Erucic acid	6-Hydroxyflavone	1,4-Cineole	Empty
e	Empty	Thymopentin (acetate)	Sulfacetamide	(E)-m-Coumaric acid	Flavanone	Cinnamyliden acetic acid	DL-Norepinephrine	Butyl isobutyl phthalate	N-Hydroxyphenylacetic acid	Isomalt	Lysipressin	Empty
f	Empty	Pepstatin Trifluoroacetate	[Leu5]-Enkephalin	Parasin I (TFA)	3,4-Dihydroxybenzoic acid	3-Hydroxyphenylacetic acid	Indole	3-Hydroxyanthranilic acid	2,5-Dihydroxyacetophenone	2,5-Dihydroxybenzoic acid	Pyrrole-2-carboxylic acid	Empty
g	Empty	6-Hydroxynicotinic acid	Quinoline-2-carboxylic acid	2,5-Furandicarboxylic acid	Methyl syringate	Isocytosine	L-Homoserine	(R)-5-Oxopyrrolidine-2-carboxylic acid	4-Hydroxy-3-methylbenzoic acid	3-Hydroxybenzoic acid	Ac-Ala-OH	Empty
h	Empty	2-(4-Methoxyphenyl)acetic acid	Arachidic acid	Undecanoic acid	Pentadecanoic acid	Heptadecanoic acid	Hexadecanal	1,4-Dioxane-2,5-diol	5-Hydroxymethyluracil	5-Hydroxymethyl-2-	3-Methyl-2-oxobutanoic acid	Empty

Plate layout: HY-L021-24

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	(2-Aminoethyl)phosphonic acid	5a-Pregnane-3,20-dione	Maleimide	Skatole	Indole-3-carboxaldehyde	Tyramine	Cyclen	Imidazoleacetic acid (hydrochloride)	Acetylpyrazine	5-Methoxysalicylic acid	Empty
b	Empty	2-Oxobutanoic acid	H-Phe-Phe-OH	5-Methylcytosine	H-D-cis-Hyp-OH	2-Hydroxy-3-methylbutanoic acid	Phloracetophenone	5-Hydroxyindole-3-acetic acid	L-Allothreonine	(+)-Sparteine	Olivetol	Empty
c	Empty	H-HoArg-OH	(-)-Corey lactone diol	H-Tyr(3-I)-OH	Norharmane	2'-Deoxyinosine	7,8-Dihydro-L-biopterin	H-Trp-NH ₂ .HCl	Glutaric acid	5'-Cytidylic acid	Laurocapram	Empty
d	Empty	Cedryl acetate	5-Methyluridine	Sinapinic acid	L-Cystathionine	Acetosyringone	Vanillin acetate	Scyllo-Inositol	Terephthalic acid	L-Methionine sulfoxide	7-Hydroxy-3,4-dihydro-2(1H)-	Empty
e	Empty	2-(1H-Indol-3-yl)ethan-1-ol	4,6-Dioxoheptanoic acid	Citronellol	3-Amino-4-hydroxybenzoic acid	(2S,3R,4S)-4-Hydroxyisoleucine	Ethyl maltol	2-Methylsuccinic acid	2-Oxosuccinic acid	Creatine	Thymine	Empty
f	Empty	DL-Norvaline	trans-Cyclohexane-1,2-diol	H-Abu-OH	3-Methylbut-2-enoic acid	Cholesteryl linoleate	Cholesteryl palmitate	Uridine-5'-diphosphate disodium salt	Adenosine 5'-diphosphate	5'-Guanylic acid (disodium)	trans-Zeatinriboside	Empty
g	Empty	Batilol	Xanthosine	8-Hydroxy-2'-deoxyguanosine	2'-O-Methyladenosine	(±)-Naringenin	2'-Deoxyadenosine	L-Homocystine	Palmitoleic acid	5-Methyl-2'-deoxycytidine	3,4,5-Trimethoxycinnamic acid	Empty
h	Empty	(-)-Sparteine	Dodecanedioic acid	2,2'-Anhydrouridine	N-Acetyl-L-tyrosine	H-D-Trp-OH	N-Acetyl-L-methionine	2-Oxo-3-phenylpropanoic acid	2,4-Dihydroxybenzoic acid	3-Amino-4-methylpentanoic acid	4-Methyl-2-oxopentanoic acid	Empty

Plate layout: HY-L021-25

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	H-HoPro-OH	Maltol	4-Methylcatechol	4-Ethylphenol	3-Nitropropanoic acid	5,6-Dihydrouracil	2-Furoic acid	3-Amino-2-methylpropanoic acid	3-Methylbutanoic acid	Tetrahydro-2H-pyran-2-one	Empty
b	Empty	Tiglic acid	Docosanoic acid	Uridine triphosphate (trisodium)	Cytidine-5'-triphosphate disodium	Uridine 5'-monophosphate disodium	7,8-Dihydroxyflavone	L-Carnosine	S-Allyl-L-cysteine	2,3-Diaminopropanoic acid	Ethyl 3-coumarincarboxylate	Empty
c	Empty	L-Alanyl-L-glutamine	Undecanedioic acid	Ac-Arg-OH	Xanthurenic acid	Decanedioic acid	1,3-Dimethyluric acid	2-(2-Methylbenzamido)acetic acid	2-(2-Phenylacetamido)acetic acid	Methyl 2-(1H-indol-3-yl)acetate	3-Indolepropionic acid	Empty
d	Empty	Octanedioic acid	2-Aminobenzenesulfonic acid	Decanoic acid	3-Hydroxymandelic acid	Desaminotyrosine	Disodium succinate	N-Isovalerylglycine	L-Dihydroorotic acid	3,5-Dihydroxybenzoic acid	2-Hydroxyphenylacetic acid	Empty
e	Empty	2-Hydroxy-2-phenylacetic acid	2-Phenylpropionic acid	L-(+)-Arabinose	2-Benzoxazolinone	2-Hydroxy-2-methylbutanoic acid	5-Aminovaleric acid	Fumaric acid	Glycolic acid	2'-Deoxyadenosine-5'	1-Hydroxy-2-naphthoic acid	Empty
f	Empty	Antiarol	Chelidamic acid	Hippuric acid	L-Gulono-1,4-lactone	Indole-3-acetamide	trans-Aconitic acid	(Z)-Aconitic acid	4-Chlorosalicylic acid	H-Gly-Pro-OH	2,3,4-Trihydroxybenzoic acid	Empty
g	Empty	1-Methyl-L-histidine	3-Methyl-L-histidine	L-Ornithine (hydrochloride)	DL-3-Phenylacetic acid	Methyl cinnamate	Terpinen-4-ol	Xanthine	5,6-Dimethyl-1H-benzod[imidazole]	Adipic acid	2-Methylpentanedioic acid	Empty
h	Empty	Ademetionine (disulfate tosylate)	L-Homocitrulline	H-Phe(4-OH)-OH	Phytic acid (potassium)	Hexadecanedioic acid	Phthalic acid mono-2-ethylhexyl	7-Ketolithocholic acid	Nortropine	Ferulic acid methyl ester	D-Ribose (mixture of isomers)	Empty

Plate layout: HY-L021-26

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	4(3H)-Quinazolinone	N-Acetyl-DL-methionine	DL-alpha-Tocopherol	(2S,3R,4S,5R)-2-Amino-3,4,5,6-	Coumarin-3-carboxylic acid	1-Octanol	Pteridine-2,4(1H,3H)-dione	L-Arabinitol	(3S,4R,5S)-1,3,4,5,6-Pentahydroxy	2'-Deoxyadenosine	Empty
b	Empty	DL-Homocysteine	5-Hydroxytryptophol	3-Chloro-L-tyrosine	Chelidonic acid	Phenylacetylglutamine	(S)-3-Hydroxybutanoic acid	Kojic acid	(R)-3-Hydroxybutanoic acid	(±) Anabasin	L-Norleucine	Empty

c	Empty	3-Hydroxypicolinic acid	5-Hydroxymethylfurfural	NSC 13138	Oxindole	NSC 45699	N-Acetylglycine	4-Hydroxyacetophenone	D-Phenylalanine	3,4,5-Trimethoxybenzoic acid	2-Naphthol	Empty
d	Empty	NSC 16590	D(-)-2-Aminobutyric acid	10-Hydroxydecanoic acid	Cinchonine	D-Pipecolinic acid	Methyl Salicylate	α -Pyridone	Pyrocatechuic acid	Farnesol	L-Proline	Empty
e	Empty	Oxalic Acid	4-Hydroxybenzoic acid	Isatin	Urea	L-Tartaric acid	Dibutyl phthalate	p-Hydroxybenzaldehyde	L-Cysteine	L-Cysteine (hydrochloride)	Lauric acid	Empty
f	Empty	Maleic Acid	Dulcitol	L-Lactic acid	DL-Serine	N-Methylsarcosine	5-Methylfurfural	D(-)-Mandelic acid	Pipecolic acid	2',4'-Dihydroxyacetophenone	4-Methoxybenzaldehyde	Empty
g	Empty	3-Methoxybenzoic acid	3,4-Dimethoxyphenylacetic	Pyruvic acid	Cuminaldehyde	2,6-Dihydroxybenzoic acid	Levulinic acid	Formamide	4-Hydroxybenzyl alcohol	(\pm)-1,2-Propanediol	Acetamide	Empty
h	Empty	Methyl 2-furoate	Glycine	3-Ethoxy-3-oxopropanoic acid	(S)-2-Hydroxysuccinic acid	Hydrocinnamic acid	Melamine	Pimelic acid	Oxalic acid dihydrate	1-Naphthol	Malic acid	Empty

Plate layout: HY-L021-27

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	N-Methylmethanamine	Cyclohexanecarboxylic acid	2'-Hydroxyacetophenone	NSC 8751	DL-Menthol	1,4-Diaminobutane	1-Hydroxyoctadecane	(-)-Limonene	Methyl 3,4-dihydroxybenzoate	Empty	Empty
b	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
c	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
d	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
e	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
f	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
g	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
h	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty