





File ..DATA\2020\20200221\843\BIZ2020-220-WMX11-.D Tgt Mass (CHM) :  
 Injection Date : 21 Feb 20 12:28 pm +0800 Seq. Line : 44  
 Sample Name : BIZ2020-220-WMX11 Location : P1-A-08  
 Acq. Operator : ZJ\_1432 Inj : 1  
 Spec. Reported : MS Integration Inj Volume : 5 ul  
 Acq. Method : D:\Chem32\1\data\2020\20200221\843\1-POS-3MIN.M  
 Analysis Method : D:\CHEM32\1\DATA\2020\20200221\843\1-POS-3MIN.M  
 Catalog No : HY-100898 Batch#59951  
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)  
 Gradient: 5% to 95%B within 1.3 min  
 Flow Rate :1.8ml/min  
 Column :SunFire C18, 4.6\*50mm,3.5um A-RP-433  
 Oven Temperature : 45□



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.89	0.01	2.58	3.43	0.46	157
1.97	0.02	550.06	492.73	98.05	157
2.07	0.01	2.27	3.09	0.40	157
2.10	0.01	0.74	1.33	0.13	157
2.42	0.02	5.37	5.81	0.96	157

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.77	0.01	0.26	0.48	0.14	157
1.88	0.02	0.85	0.91	0.45	157
1.97	0.02	184.43	168.86	98.22	157
2.05	0.02	2.22	1.81	1.18	157

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
--------	-------	------	--------	-------	--------

1.99      0.05      353527.19      94100.97      100.00      157

Ret. Time: 1.99

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

