





File ..\DATA\2020\20200309\864\CPK2020-304-24254.D Tgt Mass (CHM):  
 Injection Date : 9 Mar 20 11:25 am +0800 Seq. Line : 30  
 Sample Name : CPK2020-304-24254 Location : P1-D-07  
 Acq. Operator : ZJ\_1432 Inj : 1  
 Spec. Reported : MS Integration Inj Volume : 1 ul  
 Acq. Method : D:\Chem32\1\data\2020\20200309\864\1-POS-3MIN.M  
 Analysis Method : D:\CHEM32\1\DATA\2020\20200309\864\1-POS-3MIN.M  
 Catalog No : HY-101396 Batch# 24254  
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)  
 Gradient: 5% to 95%B within 1.3 min  
 Flow Rate :1.8ml/min  
 Column :SunFire C18, 4.6\*50mm,3.5um A-RP-433  
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.38	0.02	3.21	3.18	0.47	141
1.74	0.02	676.49	536.24	99.53	270

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.69	0.02	4.12	2.86	0.30	ND
1.74	0.02	1355.26	1063.00	99.70	270

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.75	0.03	186476.97	98118.91	100.00	270

Ret. Time: 1.75

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

