





File ..\DATA\2019\20190906\715\CPK2019-905-24451.D Tgt Mass (CHM):
 Injection Date : 6 Sep 19 12:50 pm +0800 Seq. Line : 47
 Sample Name : CPK2019-905-24451 Location : P1-B-08
 Acq. Operator : bgd_1571 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2019\20190906\715\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2019\20190906\715\1-POS-3MIN.M
 Catalog No : HY-101563 Batch#24451
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-433
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.09	0.02	7.28	7.92	0.73	ND
1.11	0.02	993.08	905.65	99.27	453

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.09	0.01	3.72	5.06	0.45	ND
1.11	0.02	830.98	765.16	99.55	453

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.12	0.03	575885.00	310753.22	100.00	453

Ret. Time: 1.12

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

