





File ..ATA\2020\20200709\1028 1\BIZ2020-708-SCH9.D Tgt Mass (CHM):
 Injection Date : 10 Jul 20 2:01 am +0800 Seq. Line : 33
 Sample Name : BIZ2020-708-SCH9 Location : P1-D-01
 Acq. Operator : ZJ_1432 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2020\20200709\1028 1\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200709\1028 1\1-POS-3MIN.M
 Catalog No : HY-101603
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-607
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
2.46	0.03	937.70	606.20	99.57	261
2.54	0.03	4.07	2.41	0.43	261

Integration Results for DAD1 C, Sig=254,4 Ref=off


RetTim	Width	Area	Height	Area%	MS (+)
1.74	0.02	2.76	2.48	0.25	261
1.82	0.01	1.38	1.88	0.13	261
1.94	0.01	0.77	0.88	0.07	261
2.46	0.03	1084.82	693.57	99.55	261

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
2.47	0.04	34995.89	14627.33	100.00	261

Ret. Time: 2.47

<<<< POSITIVE SPECTRA >>>>



MS Spectrum

MSD1 SPC, time=2.478 of D:\CHEM32\1\DATA\2020\20200709\1028 1\BIZ2020-708-SCH9.D ES-API, Pos, Scan, Frag: 70

