





File ..\DATA\2020\20200828\1088\BIZ2020-826-SCH9.D Tgt Mass (CHM):
 Injection Date : 28 Aug 20 12:17 pm +0800 Seq. Line : 49
 Sample Name : BIZ2020-826-SCH9 Location : P1-B-08
 Acq. Operator : zyj_1547 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2020\20200828\1088\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200828\1088\1-POS-3MIN.M
 Catalog No : HY-102090
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-607
 Oven Temperature : 45C



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.95	0.02	620.53	624.03	99.68	428
1.99	0.01	1.97	4.86	0.32	428

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.95	0.02	748.90	764.52	99.57	428
2.00	0.01	2.31	3.07	0.31	428
2.02	0.01	0.95	2.17	0.13	428

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.97	0.03	199379.31	100776.07	100.00	428

Ret. Time: 1.97

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

