





File ..DATA\2020\20200303\856\CPK2020-302-27456-.D Tgt Mass (CHM) :  
 Injection Date : 3 Mar 20 5:00 pm +0800 Seq. Line : 104  
 Sample Name : CPK2020-302-27456 Location : P1-C-04  
 Acq. Operator : ZJ\_1432 Inj : 1  
 Spec. Reported : MS Integration Inj Volume : 0.3 ul  
 Acq. Method : D:\Chem32\1\data\2020\20200303\856\1-POS-3MIN.M  
 Analysis Method : D:\CHEM32\1\DATA\2020\20200303\856\1-POS-3MIN.M  
 Catalog No : HY-104064  
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)  
 Gradient: 5% to 95%B within 1.3 min  
 Flow Rate :1.8ml/min  
 Column :SunFire C18, 4.6\*50mm,3.5um A-RP-433  
 Oven Temperature : 45□



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.26	0.02	1.60	1.55	0.20	193
1.31	0.01	1.11	1.33	0.14	ND
1.37	0.02	802.35	666.33	99.39	308
1.49	0.02	2.24	2.48	0.28	308

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.32	0.01	0.57	0.75	0.32	ND
1.37	0.02	175.38	153.17	98.93	308
1.42	0.01	0.53	0.89	0.30	308
1.81	0.02	0.79	0.79	0.44	219

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.38	0.03	2310174.75	1061204.75	100.00	308

Ret. Time: 1.38

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

