

File ..1\DATA\2019\20190322\563\BIZ2019-320-WYQ6.D Tgt Mass (CHM):

Injection Date : 22 Mar 19 11:26 am +0800 Seq. Line : 32

Sample Name : BIZ2019-320-WYQ6 Location : P2-A-08

Acq. Operator : LQ_1052 Inj : 1

Spec. Reported : MS Integration Inj Volume : 1 ul

Acq. Method : D:\Chem32\1\data\2019\20190322\563\1-POS-3MIN-1.M

Analysis Method : D:\CHEM32\1\DATA\2019\20190322\563\1-POS-3MIN-1.M

Catalog No : HY-111653 Batch#39241

Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)


Gradient: 5% to 95%B within 1.3 min

Flow Rate :1.8ml/min


Column :SunFire C18, 4.6*50mm,3.5um A-RP-314

Oven Temperature : 45


DAD1 B, Sig=214,4 Ref=off



MSD1 TIC, MS File ES-API, Pos, Scan, Frag: 70



Ion 306.3, MSD1 306.3, Target Mass 305.3 +H Positive, EIC=306:307



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.11	0.01	0.91	1.04	0.06	219
1.48	0.02	1443.40	1046.93	96.99	306
1.59	0.02	43.90	36.04	2.95	306


Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.49	0.04	520585.75	195527.25	86.90	306
1.61	0.04	78450.82	26069.43	13.10	306

Ret. Time: 1.49

<<<< POSITIVE SPECTRA >>>>

ES-API Positive



Ret. Time: 1.61

ES-API Positive

