


Phentolamine

Cat. No.:	HY-12717		
CAS No.:	50-60-2		
Molecular Formula:	C ₁₇ H ₁₉ N ₃ O		
Molecular Weight:	281.35		
Target:	Adrenergic Receptor		
Pathway:	GPCR/G Protein; Neuronal Signaling		
Storage:	Powder	-20°C	3 years
	In solvent	-80°C	6 months
		-20°C	1 month



SOLVENT & SOLUBILITY

In Vitro

DMSO : 125 mg/mL (444.29 mM; Need ultrasonic)

Concentration	Mass		
	1 mg	5 mg	10 mg
1 mM	3.5543 mL	17.7715 mL	35.5429 mL
5 mM	0.7109 mL	3.5543 mL	7.1086 mL
10 mM	0.3554 mL	1.7771 mL	3.5543 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

Phentolamine is a potent, selective and orally active α_1 adrenergic and α_2 adrenergic receptor antagonist. Phentolamine can be used for the research of erectile dysfunction^{[1][2][3]}.

IC₅₀ & Target

α adrenergic receptor

In Vivo

Phentolamine (5-20 mg/kg; i.p.) effectively inhibits the seizures elicited by strychnine (2 mg/kg, i.p.) and attenuates the seizure-potentiating effect of DOPS (4 mg/kg, i.p.) in mouse^[2].

Phentolamine (1 mg/kg; i.p.) increases insulin secretion by inhibition of b-cell α_2 -adrenoceptors in mouse^[3].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

Animal Model: WT mice^[3]

Dosage: 1 mg/kg

Administration: IP

Result:

Reduced blood glucose and increased insulin levels.

CUSTOMER VALIDATION

- Neurosci Bull. 2023 Jun 19.
- J Endocrinol. 2020 Mar;244(3):459-471.
- bioRxiv. 2023 Oct 13.

See more customer validations on www.MedChemExpress.com

REFERENCES

- [1]. Goldstein I I. Oral phentolamine: an alpha-1, alpha-2 adrenergic antagonist for the treatment of erectile dysfunction. *Int J Impot Res.* 2000 Mar;12(S1):S75-S80
- [2]. Amabeoku G, et al. Strychnine-induced seizures in mice: the role of noradrenaline. *Prog Neuropsychopharmacol Biol Psychiatry.* 1994 Jul;18(4):753-63.
- [3]. Fagerholm V, et al. alpha2A-adrenoceptor antagonism increases insulin secretion and synergistically augments the insulinotropic effect of glibenclamide in mice. *Br J Pharmacol.* 2008 Jul;154(6):1287-96.
-

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA