


APJ receptor agonist 1

Cat. No.:	HY-133036
CAS No.:	2287153-38-0
Molecular Formula:	C ₃₁ H ₂₆ ClN ₃ O ₃
Molecular Weight:	524.01
Target:	Others
Pathway:	Others
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description	APJ receptor agonist 1, a biphenyl acid derivative, is a potent APJ receptor (APJ-R) agonist (EC ₅₀ s 0.093 and 0.12 nM for human and rat APJ-R, respectively). APJ receptor agonist 1 displays in vitro potency to apelin-13, the endogenous peptidic ligand for the APJ receptor. APJ receptor agonist 1 has the potential for the research of heart failure ^[1] .
In Vitro	The S-atropisomer APJ receptor agonist 1 (compound 15a) is 200-fold more potent than the corresponding R-atropisomer. ^[1] MCE has not independently confirmed the accuracy of these methods. They are for reference only.
In Vivo	APJ receptor agonist 1 (10-100 µg/min/kg; intravenous infusion) induces a 10% increase in CO with minimal impact on blood pressure (<5% transient blood pressure drop) ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.
Animal Model:	Isoflurane-anesthetized male Sprague Dawley rats ^[1]
Dosage:	10, 100, 1000 µg/kg/min
Administration:	IV; infused into the jugular vein for 15 min
Result:	Showed a dose-dependent improvement in the cardiac output in male Sprague Dawley rats with no significant changes in either mean arterial blood pressure or heart rate.

REFERENCES

[1]. Su S, Clarke A, et al. Biphenyl Acid Derivatives as APJ Receptor Agonists. J Med Chem. 2019;62(22):10456-10465.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA