





File ..20170621 2017-06-21 12-44-59\HP4388-001-2.D Tgt Mass (CHM):
 Injection Date : 21 Jun 17 12:56 pm +0800 Seq. Line : 3
 Sample Name : HP4388-001-2 Location : P1-D-04
 Acq. Operator : CLJ_701 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\chem32\1\DATA\20170621\20170621 2017-06-21 12-44-59\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\20170621\20170621 2017-06-21 12-44-59\1-POS-3MIN.M
 Catalog No : HY-13458 Batch#25556 A-RP-186
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-186
 Oven Temperature : 45C



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS(+)
0.31	0.02	1548.07	1139.30	99.58	214
0.48	0.03	3.77	2.14	0.24	ND
1.14	0.02	2.78	1.91	0.18	ND

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS(+)
0.31	0.02	82.58	61.80	100.00	214

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS(+)
0.34	0.04	159656.44	60010.36	100.00	214

Ret. Time: 0.34

<<<< POSITIVE SPECTRA >>>>

