## 2-NP-AHD-<sup>13</sup>C<sub>3</sub>

HY-136457S

1007476-86-9

C<sub>7</sub><sup>13</sup>C<sub>3</sub>H<sub>8</sub>N<sub>4</sub>O<sub>4</sub>

Isotope-Labeled Compounds

251.17

Others

Analysis.

Cat. No.:

CAS No.:

Target:

Pathway:

Storage:

Molecular Formula:

Molecular Weight:

`O⁻ \_N \_ \_ N

BIOLOGICAL ACTIVITY	
Description	2-NP-AHD- <sup>13</sup> C <sub>3</sub> is the <sup>13</sup> C labled 2-NP-AHD (HY-136457) <sup>[1]</sup> . 2-NP-AHD is a 2-nitrophenyl derivative of AHD (a metabolite of nitrofurans type of antibiotics), can be used as indicator of the illegal usage of nitrofuran agents <sup>[2]</sup> .
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

## REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019 Feb;53(2):211-216.

Please store the product under the recommended conditions in the Certificate of

Caution: Product has not been fully validated for medical applications. For research use only.

E-mail: tech@MedChemExpress.com

Tel: 609-228-6898 Fax: 609-228-5909

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

