## dGTP-155

Cat. No.:	HY-138616S
CAS No.:	95648-75-2
Molecular Formula:	C <sub>10</sub> H <sub>14</sub> Li <sub>2</sub> <sup>15</sup> N <sub>5</sub> O <sub>13</sub> P <sub>3</sub>
Molecular Weight:	524.01
Target:	Isotope-Labeled Compounds; DNA/RNA Synthesis; Nucleoside Antimetabolite/Analog
Pathway:	Others; Cell Cycle/DNA Damage
Storage:	Please store the product under the recommended conditions in the Certificate of
otoragei	Analysis.

BIOLOGICAL ACTIVITY	
Description	dGTP- <sup>15</sup> N <sub>5</sub> (2'-Deoxyguanosine-5'-triphosphate- <sup>15</sup> N <sub>5</sub> ) dilithium is <sup>15</sup> N labeled dGTP (HY-138616). dGTP (2'-Deoxyguanosine- 5'-triphosphate), a guanosine nucleotide, can be used in deoxyribonucleic acid synthesis. Guanosine nucleotides (GDP, GTP, dGDP, and dGTP) are highly susceptible to oxidative damage to 8-oxo-GDP (8-O-GDP), 8-O-dGTP, 8-O-GTP, and 8-O-dGTP.
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

## REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019 Feb;53(2):211-216.

[2]. Kapoor I, et al. Nucleoside Diphosphate Kinase Escalates A-to-C Mutations in MutT-Deficient Strains of Escherichia coli. J Bacteriol. 2019;202(1):e00567-19. Published 2019 Dec 6.

Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

**Product** Data Sheet



Page 1 of 1