


m-PEG11-acid

Cat. No.:	HY-140501
CAS No.:	2280998-74-3
Molecular Formula:	C ₂₄ H ₄₈ O ₁₃
Molecular Weight:	544.63
Target:	ADC Linker; PROTAC Linker
Pathway:	Antibody-drug Conjugate/ADC Related; PROTAC
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description	m-PEG11-acid is a non-cleavable 11 unit PEG ADC linker used in the synthesis of antibody-drug conjugates (ADCs) ^[1] . m-PEG11-acid is also a PEG-based PROTAC linker that can be used in the synthesis of PROTACs ^[2] .	
IC ₅₀ & Target	PEGs	Non-cleavable
In Vitro	ADCs are comprised of an antibody to which is attached an ADC cytotoxin through an ADC linker ^[1] . PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins ^[2] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	

REFERENCES

- [1]. Wilfried Braje et al. Macrocyclic mcl-1 inhibitors and methods of use. WO2019035927A1.
- [2]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA