m-PEG17-acid

Cat. No.:	HY-140502
CAS No.:	2346581-96-0
Molecular Formula:	$C_{36}H_{72}O_{19}$
Molecular Weight:	808.95
Target:	PROTAC Linkers
Pathway:	PROTAC
Storage:	Powder -20°C 3 years In solvent -80°C 6 months -20°C 1 month



BIOLOGICAL ACTIVITY

Description	m-PEG17-acid is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs[1].
IC_{50} & Target	PEGs
In Vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins[1]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA