N-(Azido-PEG4)-biocytin

HY-140919		
2055042-70	-9	
C ₂₇ H ₄₇ N ₇ O ₉ S	5	
645.77		
PROTAC Lir	nkers	
PROTAC		
Powder	-20°C	3 years
	4°C	2 years
In solvent	-80°C	6 months
	-20°C	1 month
	2055042-70 C ₂₇ H ₄₇ N ₇ O ₉ S 645.77 PROTAC Lir PROTAC Powder	2055042-70-9 C ₂₇ H ₄₇ N ₇ O ₉ S 645.77 PROTAC Linkers PROTAC Powder -20°C 4°C In solvent -80°C

BIOLOGICAL ACTIVITY

Description	N-(Azido-PEG4)-biocytin is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs ^[1] . N-(Azido-PEG4)- biocytin is a click chemistry reagent, it contains an Azide group and can undergo copper-catalyzed azide-alkyne cycloaddition reaction (CuAAc) with molecules containing Alkyne groups. Strain-promoted alkyne-azide cycloaddition (SPAAC) can also occur with molecules containing DBCO or BCN groups.
IC ₅₀ & Target	PEGs
In Vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

MedChemExpress

Product Data Sheet

Proteins