

Product Data Sheet

Inhibitors

Screening Libraries

Proteins

Bis-PEG17-acid

Molecular Weight:

Cat. No.: HY-141024

CAS No.: 2226897-74-9 $\text{Molecular Formula:} \qquad \text{C}_{38}\text{H}_{74}\text{O}_{21}$


Target: PROTAC Linkers

Pathway: PROTAC

Storage: 4°C, sealed storage, away from moisture

866.98

* In solvent: -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture)



BIOLOGICAL ACTIVITY

Description	Bis-PEG17-acid is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs ^[1] .
IC ₅₀ & Target	PEGs
In Vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA