N-Boc-PEG8-alcohol

MedChemExpress

Cat. No.:	HY-141192		
CAS No.:	1345337-22-5		
Molecular Formula:	C ₂₁ H ₄₃ NO ₁₀		
Molecular Weight:	469.57		
Target:	PROTAC Linkers		
Pathway:	PROTAC		
Storage:	Pure form	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month

BIOLOGICAL ACTIV			
BIOEOGICAE ACTIVITY			
Description	N-Boc-PEG8-alcohol is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs ^[1] .		
IC ₅₀ & Target	PEGs	Alkyl/ether	
In Vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.		

REFERENCES

[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

~~_n°_ok