


## Hydroxy-PEG3-CH2-Boc

Cat. No.:	HY-141209		
CAS No.:	518044-31-0		
Molecular Formula:	C <sub>12</sub> H <sub>24</sub> O <sub>6</sub>		
Molecular Weight:	264.32		
Target:	PROTAC Linkers		
Pathway:	PROTAC		
Storage:	Pure form	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



### SOLVENT & SOLUBILITY

#### In Vitro

DMSO : 50 mg/mL (189.16 mM; Need ultrasonic)

Solvent	Mass	Concentration		
		1 mg	5 mg	10 mg
Preparing Stock Solutions	1 mM	3.7833 mL	18.9165 mL	37.8329 mL
	5 mM	0.7567 mL	3.7833 mL	7.5666 mL
	10 mM	0.3783 mL	1.8916 mL	3.7833 mL

Please refer to the solubility information to select the appropriate solvent.

### BIOLOGICAL ACTIVITY

Description	Hydroxy-PEG3-CH2-Boc is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs <sup>[1]</sup> .	
IC <sub>50</sub> & Target	PEGs	Alkyl/ether
In Vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	

### REFERENCES

[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

---

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: [tech@MedChemExpress.com](mailto:tech@MedChemExpress.com)

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA