## HO-PEG20-OH

| CAS No.: 3<br>Molecular Formula: 4<br>Molecular Weight: 4<br>Target: 4<br>Pathway: 4<br>Storage: 4 | HY-141236<br>351342-08-0<br>C <sub>40</sub> H <sub>82</sub> O <sub>21</sub><br>399.07<br>PROTAC Linkers<br>PROTAC<br>20°C, protect from light<br>1 In solvent : -80°C, 6 months; -20°C, 1 month (protect from light) | $H_0 \sim 0 \sim$ |
|--|--|---|
|--|--|---|

| BIOLOGICAL ACTIVITY       |  |  |
|---------------------------|--|--|
| Description               | HO-PEG20-OH is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs <sup>[1]</sup> .   |  |
| IC <sub>50</sub> & Target | PEGs   |  |
| In Vitro                  | PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only. |  |

## REFERENCES

[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

## Product Data Sheet

