

Product Data Sheet

Monoamine Oxidase B inhibitor 2

Cat. No.: HY-143245
CAS No.: 2807477-26-3
Molecular Formula: C₁₉H₁₉FO₃

Molecular Weight: 314.35

Target: Monoamine Oxidase
Pathway: Neuronal Signaling

Storage: Please store the product under the recommended conditions in the Certificate of

Analysis.

BIOLOGICAL ACTIVITY

Description	Monoamine Oxidase B inhibitor 2 is a potent, reversible, orally active and selective monoamine oxidase B (MAO-B) inhibitor with an IC $_{50}$ of 1.33 nM. Monoamine Oxidase B inhibitor 2 has antioxidant and anti-neuroinflammatory activities. Monoamine Oxidase B inhibitor 2 can across the blood-brain barrier (BBB), and can be used for Parkinson's disease study ^[1] .
IC ₅₀ & Target	MAO-B MAO-A 1.33 nM (IC ₅₀) 1150 nM (IC ₅₀)
In Vitro	In cellular experiments, Monoamine Oxidase B inhibitor 2 (compound 8f; 0.5-10.0 μ M) could significantly decrease the production of NO and TNF- α in LPS-stimulated BV-2 cells ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.
In Vivo	In in vivo acute and subacute MPTP-induced mice model of Parkinson's disease, Monoamine Oxidase B inhibitor 2 (compound 8f; 6.3-39.5 mg/kg; oral administration) could significantly improve most behavioral disorders, restore the dopamine content and decrease the MDA content in the mice striatum ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Qing Song, et al. 6-Benzyloxyphthalides as selective and reversible monoamine oxidase B inhibitors with antioxidant and anti-neuroinflammatory activities for Parkinson's disease treatment. Bioorg Chem. 2022 Mar;120:105623.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA