

## N-bis(t-boc-N-amido-PEG3)-N-(PEG3-acid) (hydrochloride)

**Cat. No.:** HY-143849

 $\label{eq:molecular-formula:} \textbf{Molecular Formula:} \qquad \textbf{C}_{35}\textbf{H}_{70}\textbf{ClN}_{3}\textbf{O}_{15}$ 

Molecular Weight: 808.39

Target: PROTAC Linkers

Pathway: PROTAC

Storage: Please store the product under the recommended conditions in the Certificate of

Analysis.

## **BIOLOGICAL ACTIVITY**

Description	$N-bis (t-boc-N-amido-PEG3)-N- (PEG3-acid)\ hydrochloride\ is\ a\ PEG-based\ PROTAC\ linker\ that\ can\ be\ used\ in\ the\ synthesis\ of\ PROTACs^{[1]}.$
IC <sub>50</sub> & Target	PEGs
In Vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

## **REFERENCES**

[1]. Nalawansha DA, et al. PROTACs: An Emerging Therapeutic Modality in Precision Medicine. Cell Chem Biol. 2020;27(8):998-985.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA