


Fatostatin

Cat. No.:	HY-14452		
CAS No.:	125256-00-0		
Molecular Formula:	C ₁₈ H ₁₈ N ₂ S		
Molecular Weight:	294.41		
Target:	Fatty Acid Synthase (FASN)		
Pathway:	Metabolic Enzyme/Protease		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



SOLVENT & SOLUBILITY

In Vitro

DMSO : ≥ 27 mg/mL (91.71 mM)
 * "≥" means soluble, but saturation unknown.

Preparing Stock Solutions	Solvent Concentration	Mass		
		1 mg	5 mg	10 mg
	1 mM	3.3966 mL	16.9831 mL	33.9662 mL
	5 mM	0.6793 mL	3.3966 mL	6.7932 mL
	10 mM	0.3397 mL	1.6983 mL	3.3966 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline
 Solubility: ≥ 2.5 mg/mL (8.49 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline)
 Solubility: 2.5 mg/mL (8.49 mM); Suspended solution; Need ultrasonic
- Add each solvent one by one: 10% DMSO >> 90% corn oil
 Solubility: 2.5 mg/mL (8.49 mM); Suspended solution; Need ultrasonic

BIOLOGICAL ACTIVITY

Description

Fatostatin (125B11), a specific inhibitor of SREBP activation, impairs the activation of SREBP-1 and SREBP-2. Fatostatin binds to SCAP (SREBP cleavage-activating protein), and inhibits the ER-Golgi translocation of SREBPs. Fatostatin decreases the transcription of lipogenic genes in cells. Fatostatin possesses antitumor properties, and lowers hyperglycemia in ob/ob mice^{[1][2]}.

In Vitro

Fatostatin (125B11) (0.1-1 μM; 3 days) inhibits the androgen-independent prostate cancer cell proliferation (IC₅₀=0.1 μM) in

an independent of the known IGF1-signaling pathway. Fatostatin inhibits insulin-induced adipogenesis of 3T3-L1 cells^[1]. Fatostatin directly binds SCAP and blocks its ER-to-Golgi transport with IC₅₀ of 2.5 and 10 μM in mammalian cells. MCE has not independently confirmed the accuracy of these methods. They are for reference only.

Cell Proliferation Assay^[1]

Cell Line:	DU-145 cells
Concentration:	0.1, 1 μM
Incubation Time:	3 days
Result:	Impaired the IGF1-induced growth at an IC ₅₀ of 0.1 μM.

In Vivo

Fatostatin (125B11) (30 mg/kg; 150 μL; i.p. injection; daily for 28 days) reduces adiposity, ameliorated fatty liver by reducing triglyceride (TG) storage, and lowered hyperglycemia in ob/ob mice^[2].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

Animal Model:	Four-to-five-week-old homozygous male obese (ob/ob) mice (C57BL/6J) ^[2]
Dosage:	30 mg/kg; 150 μL
Administration:	i.p. injection; daily for 28 days
Result:	Blocked increases in body weight, blood glucose, and hepatic fat accumulation in obese ob/ob mice, even under uncontrolled food intake.

CUSTOMER VALIDATION

- Cell Metab. 2021 May 17;S1550-4131(21)00223-0.
- Cell Death Differ. 2021 Jan 19.
- Autophagy. 2020 May 20;1-22.
- J Exp Clin Cancer Res. 2019 May 29;38(1):228.
- J Pathol. 2020 Aug 8.

See more customer validations on www.MedChemExpress.com

REFERENCES

- [1]. Li X et al. Fatostatin displays high antitumor activity in prostate cancer by blocking SREBP-regulated metabolic pathways and androgen receptor signaling. Mol Cancer Ther. 2014 Apr;13(4):855-66.
- [2]. Shao W et al. Fatostatin blocks ER exit of SCAP but inhibits cell growth in a SCAP-independent manner. J Lipid Res. 2016 Aug;57(8):1564-73.
- [3]. Inoue K et al. Fatostatin, an SREBP inhibitor, prevented RANKL-induced bone loss by suppression of osteoclast differentiation. Biochim Biophys Acta. 2015 Nov;1852(11):2432-41.
- [4]. Choi Y, et al. Identification of bioactive molecules by adipogenesis profiling of organic compounds. J Biol Chem. 2003 Feb 28;278(9):7320-4.
- [5]. Kamisuki S, et al. A small molecule that blocks fat synthesis by inhibiting the activation of SREBP. Chem Biol. 2009 Aug 28;16(8):882-92.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA