





File ..DATA\2020\20200424\936\CPK2020-423-26676-.D Tgt Mass (CHM):
 Injection Date : 24 Apr 20 3:53 pm +0800 Seq. Line : 78
 Sample Name : CPK2020-423-26676 Location : PL-B-04
 Acq. Operator : ZJ_1432 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 0.5 ul
 Acq. Method : D:\Chem32\1\data\2020\20200424\936\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200424\936\1-POS-3MIN.M
 Catalog No : HY-14652
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-607
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
2.06	0.02	692.52	676.19	99.94	352
2.13	0.01	0.44	0.98	0.06	130

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
2.06	0.02	356.64	345.42	99.59	352
2.63	0.02	1.48	1.25	0.41	130

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
2.07	0.03	398719.91	228369.59	100.00	352

Ret. Time: 2.07

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

