





File ..\DATA\2019\20190327\569\CPK2019-327-20420.D Tgt Mass (CHM):
 Injection Date : 27 Mar 19 4:36 pm +0800 Seq. Line : 10
 Sample Name : CPK2019-327-20420 Location : P2-B-03
 Acq. Operator : LQ_1052 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2019\20190327\569\1-POS-3MIN-1.M
 Analysis Method : D:\CHEM32\1\DATA\2019\20190327\569\1-POS-3MIN-1.M
 Catalog No : HY-14839 Batch# 20420-20160517
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-314
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.95	0.03	1337.71	724.17	99.45	469
2.25	0.02	6.67	4.55	0.50	142
2.39	0.02	0.77	0.71	0.06	142

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.95	0.03	278.75	154.79	99.80	469
2.25	0.02	0.45	0.36	0.16	142
2.37	0.01	0.11	0.23	0.04	142

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.97	0.04	1011823.13	365925.59	100.00	469

Ret. Time: 1.97

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

