


Eliglustat-d₁₅ tartrate

| | |
|---------------------------|---|
| Cat. No.: | HY-14885S |
| CAS No.: | 1884556-84-6 |
| Molecular Formula: | C ₂₇ H ₂₇ D ₁₅ N ₂ O ₁₀ |
| Molecular Weight: | 569.72 |
| Target: | Isotope-Labeled Compounds |
| Pathway: | Others |
| Storage: | Please store the product under the recommended conditions in the Certificate of Analysis. |



BIOLOGICAL ACTIVITY

| | |
|--------------------|--|
| Description | Eliglustat-d ₁₅ (tartrate) is the deuterium labeled Eliglustat. Eliglustat tartrate is an specific, potent and orally active glucocerebrosidase inhibitor with an IC ₅₀ of 24 nM. |
| In Vitro | Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only. |

REFERENCES

- [1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother*. 2019;53(2):211-216.
- [2]. McEachern KA, et al. A specific and potent inhibitor of glucosylceramide synthase for substrate inhibition therapy of Gaucher disease. *Mol Genet Metab*. 2007 Jul;91(3):259-68.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA