


Antiparasitic agent-10

Cat. No.:	HY-151433
CAS No.:	2138480-87-0
Molecular Formula:	C ₁₃ H ₁₇ N ₃ O ₄ S ₃
Molecular Weight:	375.49
Target:	Parasite
Pathway:	Anti-infection
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description	Antiparasitic agent-10 (Compound 94) is an anti-parasitic agent, shows anti-schistosomal activity. Antiparasitic agent-10 shows activity against adults of <i>Schistosoma mansoni</i> , and can be used in Schistosomiasis research ^[1] .								
In Vitro	<p>Antiparasitic agent-10 (100 μM; 72 h) is non-cytotoxic in two human cell lines at 100 μM^[1]. Antiparasitic agent-10 shows significant tegument damages and gut dilatations^[1]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.</p> <p>Cell Cytotoxicity Assay^[1]</p> <table border="1"> <tr> <td>Cell Line:</td> <td>HepG2 and LS174T-cells</td> </tr> <tr> <td>Concentration:</td> <td>100 μM</td> </tr> <tr> <td>Incubation Time:</td> <td>72 hours</td> </tr> <tr> <td>Result:</td> <td>Showed cytotoxic up to >100 μM against HepG2 and LS174T-cells.</td> </tr> </table>	Cell Line:	HepG2 and LS174T-cells	Concentration:	100 μM	Incubation Time:	72 hours	Result:	Showed cytotoxic up to >100 μM against HepG2 and LS174T-cells.
Cell Line:	HepG2 and LS174T-cells								
Concentration:	100 μM								
Incubation Time:	72 hours								
Result:	Showed cytotoxic up to >100 μM against HepG2 and LS174T-cells.								

REFERENCES

[1]. Georg A Rennar, et al. Disulfiram and dithiocarbamate analogues demonstrate promising antischistosomal effects. *Eur J Med Chem.* 2022 Nov 15;242:114641.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA