





File ..DATA\2020\20200421\934\CPK2020-420-06141-.D Tgt Mass (CHM):
 Injection Date : 21 Apr 20 6:35 pm +0800 Seq. Line : 112
 Sample Name : CPK2020-420-06141 Location : PL-E-03
 Acq. Operator : ZJ_1432 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2020\20200421\934\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200421\934\1-POS-3MIN.M
 Catalog No : HY-15194
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-607
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.25	0.01	2.97	3.94	0.26	422
1.52	0.01	4.64	4.56	0.40	ND
1.78	0.02	14.62	15.64	1.27	397
2.03	0.02	1129.12	1122.19	98.07	397

Integration Results for DAD1 C, Sig=254,4 Ref=off


RetTim	Width	Area	Height	Area%	MS (+)
1.25	0.01	1.61	3.02	0.25	422
1.78	0.01	10.24	14.22	1.57	397
2.03	0.02	641.05	631.91	98.19	397

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.26	0.03	20768.81	12406.04	4.26	422
1.79	0.03	59668.20	30342.95	12.25	397

2.04 0.03 406703.00 189120.77 83.49 397

Ret. Time: 1.26 <<<< POSITIVE SPECTRA >>>>



Ret. Time: 1.79



Ret. Time: 2.04

