1-Methyl-2'-O-methylinosine

MedChemExpress

HY-152499	
65150-69-8	
$C_{12}H_{16}N_4O_5$	
296.28	HO
Nucleoside Antimetabolite/Analog	0.
Cell Cycle/DNA Damage	► \
Please store the product under the recommended conditions in the Certificate of Analysis.	HO
	65150-69-8 C ₁₂ H ₁₆ N ₄ O ₅ 296.28 Nucleoside Antimetabolite/Analog Cell Cycle/DNA Damage Please store the product under the recommended conditions in the Certificate of

	HO	
ertificate of	НО	

BIOLOGICAL ACTIVITY	7
---------------------	---

1-Methyl-2'-O-methylinosine is a purine nucleoside analog. Purine nucleoside analogs have broad antitumor activity targeting indolent lymphoid malignancies. Anticancer mechanisms in this process rely on inhibition of DNA synthesis, induction of apoptosis, etc^[1].

REFERENCES

Description

[1]. Robak T, Robak P. Purine nucleoside analogs in the treatment of rarer chronic lymphoid leukemias. Curr Pharm Des. 2012;18(23):3373-88.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

O N N