





File ..DATA\2020\20200416\927\CPK2020-414-11714-.D Tgt Mass (CHM):  
 Injection Date : 16 Apr 20 2:49 pm +0800 Seq. Line : 75  
 Sample Name : CPK2020-414-11714 Location : PL-C-01  
 Acq. Operator : ZJ\_1432 Inj : 1  
 Spec. Reported : MS Integration Inj Volume : 0.3 ul  
 Acq. Method : D:\Chem32\1\data\2020\20200416\927\1-POS-3MIN.M  
 Analysis Method : D:\CHEM32\1\DATA\2020\20200416\927\1-POS-3MIN.M  
 Catalog No : HY-15320  
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)  
 Gradient: 5% to 95%B within 1.3 min  
 Flow Rate :1.8ml/min  
 Column :SunFire C18, 4.6\*50mm,3.5um A-RP-607  
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.30	0.01	4.70	5.45	0.77	491
1.55	0.01	606.65	733.95	99.23	606

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.30	0.01	2.11	2.92	1.08	491
1.55	0.01	193.67	234.49	98.92	606

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.56	0.02	231892.48	147098.86	100.00	606

Ret. Time: 1.56

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

