HC

HY-154724

C₁₈H₂₆FN₃O₉

Nucleoside Antimetabolite/Analog

Cell Cycle/DNA Damage

447.41

Analysis.

Cat. No.:

Target:

Pathway:

Storage:

Molecular Formula:

Molecular Weight:

2'-Deoxy-2'-fluoro-N3-(2S)-[2-(tert-butoxy-carbonyl)-amino-3-carbonyl]propyluridine

BIOLOGICAL ACTIVITY Description 2'-Deoxy-2'-fluoro-N3-(2S)-[2-(tert-butoxy-carbonyl)-amino-3-carbonyl]propyluridine is a purine nucleoside analog. Purine nucleoside analogs have broad antitumor activity targeting indolent lymphoid malignancies. Anticancer mechanisms in this process rely on inhibition of DNA synthesis, induction of apoptosis, etc^[1].

REFERENCES

[1]. Robak T, Robak P. Purine nucleoside analogs in the treatment of rarer chronic lymphoid leukemias. Curr Pharm Des. 2012;18(23):3373-88.

Please store the product under the recommended conditions in the Certificate of

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA