

TLR7/8 agonist 4 hydroxy-PEG6-acid hydrochloride

Cat. No.: HY-156691A Molecular Formula: $C_{33}H_{53}CIN_6O_8$ Molecular Weight: 697.26

Drug-Linker Conjugates for ADC Target:

Antibody-drug Conjugate/ADC Related Pathway:

Storage: Please store the product under the recommended conditions in the Certificate of

Analysis.



Product Data Sheet

SOLVENT & SOLUBILITY

In Vitro

H₂O: 50 mg/mL (71.71 mM; Need ultrasonic)

DMSO: < 1 mg/mL (ultrasonic; warming; heat to 60°C) (insoluble or slightly soluble)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
	1 mM	1.4342 mL	7.1709 mL	14.3419 mL
	5 mM	0.2868 mL	1.4342 mL	2.8684 mL
	10 mM	0.1434 mL	0.7171 mL	1.4342 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

TLR7/8 agonist 4 hydroxy-PEG6-acid hydrochloride is a Drug-Linker Conjugates for ADC. TLR7/8 agonist 4 hydroxy-PEG6-acid hydrochloride is the hydrochloride form of TLR7/8 agonist 4 hydroxy-PEG6-acid. TLR7/8 agonist 4 hydroxy-PEG6-acid consists of TLR7/8 agonist 4 (HY-139017) and a linker Hydroxy-PEG6-acid (HY-133050), and can be used for synthesis of ADCs [1]

REFERENCES

[1]. Shelley Erin ACKERMAN, et al. Macromolecule-supported tlr agonists. Patent. WO2020190762A1.

 $\label{lem:caution:Product} \textbf{Caution: Product has not been fully validated for medical applications. For research use only.}$

Tel: 609-228-6898 Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Page 2 of 2 www.MedChemExpress.com