





File ..\DATA\2020\20200228\854\CPK2020-227-13315.D Tgt Mass (CHM):  
 Injection Date : 28 Feb 20 12:15 pm +0800 Seq. Line : 43  
 Sample Name : CPK2020-227-13315 Location : P1-B-08  
 Acq. Operator : ZJ\_1432 Inj : 1  
 Spec. Reported : MS Integration Inj Volume : 1 ul  
 Acq. Method : D:\Chem32\1\data\2020\20200228\854\1-POS-3MIN.M  
 Analysis Method : D:\CHEM32\1\DATA\2020\20200228\854\1-POS-3MIN.M  
 Catalog No : HY-15815 Batch#13315  
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)  
 Gradient: 5% to 95%B within 1.3 min  
 Flow Rate :1.8ml/min  
 Column :SunFire C18, 4.6\*50mm,3.5um A-RP-433  
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.52	0.02	3.97	2.84	0.40	194
1.59	0.02	997.10	728.19	99.60	405

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.52	0.02	3.24	2.52	0.25	194
1.59	0.02	1278.94	961.62	99.75	405

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.61	0.03	785380.00	363149.97	100.00	405

Ret. Time: 1.61

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

