





File ..DATA\2020\20200307\862\CPK2020-304-11281-.D Tgt Mass (CHM):  
 Injection Date : 7 Mar 20 2:29 pm +0800 Seq. Line : 73  
 Sample Name : CPK2020-304-11281 Location : PL-C-05  
 Acq. Operator : ZJ\_1432 Inj : 1  
 Spec. Reported : MS Integration Inj Volume : 0.5 ul  
 Acq. Method : D:\Chem32\1\data\2020\20200307\862\1-POS-3MIN.M  
 Analysis Method : D:\CHEM32\1\DATA\2020\20200307\862\1-POS-3MIN.M  
 Catalog No : HY-15892 Batch# 11281  
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)  
 Gradient: 5% to 95%B within 1.3 min  
 Flow Rate :1.8ml/min  
 Column :SunFire C18, 4.6\*50mm,3.5um A-RP-433  
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.74	0.02	934.08	741.93	98.43	285
1.79	0.02	5.21	5.51	0.55	285
1.81	0.01	3.55	4.05	0.37	369
1.93	0.02	4.25	3.80	0.45	369
2.04	0.02	1.92	1.84	0.20	481

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.74	0.02	544.51	456.30	98.29	285
1.81	0.03	4.18	2.32	0.75	285
1.93	0.02	2.98	2.36	0.54	369
2.04	0.02	2.33	2.07	0.42	481

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
--------	-------	------	--------	-------	--------

1.75

0.04

614353.38

241491.39

100.00

285

Ret. Time: 1.75

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

