


PR-104

Cat. No.:	HY-16405
CAS No.:	851627-62-8
Molecular Formula:	C ₁₄ H ₂₀ BrN ₄ O ₁₂ PS
Molecular Weight:	579.27
Target:	DNA Alkylator/Crosslinker
Pathway:	Cell Cycle/DNA Damage
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description	PR-104 is a selective hypoxia-activated DNA cross-linking agent and can be used for the research of multiple tumor xenograft models. PR-104, as a nitrogen mustard pre-prodrug, is converted efficiently to the more lipophilic dinitrobenzamide mustards alcohol PR-104A ^[1] .
In Vitro	PR-104 (80 μM; 1 hour; SiHa cells) shows greater suppression of radiation-induced DNA single-strand breaks under hypoxic than aerobic conditions. PR-104 (100 μM; 1 hour; SiHa cells) results in phosphorylation of Ser139 of histone H2AX (γH2AX). PR-104 (0.266 mmol/kg; 18 h; SiHa cells) shows activity against hypoxic cells after irradiation. PR-104 varies in potency between cell lines, with the lowest IC ₅₀ (0.51 μmol/L) in H460 cells and highest (7.3 μmol/L) in PC3 prostate cells ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.
In Vivo	PR-104 (0.56 mmol/kg; i.v. or i.p.; 0~2 hours) makes the plasma area under the curve. PR-104 (0.23 mmol/kg; i.p.; 100 days) shows antitumor activity ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.
Animal Model:	CD-1nu/nu mice
Dosage:	0.56 mmol/kg (Pharmacokinetics Analysis)
Administration:	I.v. or i.p.
Result:	The plasma area under the curve.
Animal Model:	CD1-Foxn1nu mice
Dosage:	0.23 mmol/kg
Administration:	I.p.
Result:	Showed antitumor activity.

REFERENCES

[1]. Patterson AV, et al. Mechanism of action and preclinical antitumor activity of the novel hypoxia-activated DNA cross-linking agent PR-104. Clin Cancer Res. 2007;13(13):3922-3932.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA