





File ..\DATA\2020\20200307\862\CPK2020-304-25003.D Tgt Mass (CHM):
 Injection Date : 7 Mar 20 10:51 am +0800 Seq. Line : 25
 Sample Name : CPK2020-304-25003 Location : P1-A-04
 Acq. Operator : ZJ_1432 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2020\20200307\862\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200307\862\1-POS-3MIN.M
 Catalog No : HY-16973 Batch#25003
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-433
 Oven Temperature : 45□



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.70	0.01	1.41	2.16	0.11	483
2.07	0.02	1236.69	916.31	99.89	556

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.53	0.02	1.33	1.36	0.16	517
1.70	0.02	1.26	0.96	0.15	483
2.07	0.02	835.25	675.35	99.69	556

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
2.09	0.04	346818.91	146744.42	100.00	556

Ret. Time: 2.09

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

