




File ..\DATA\2020\20200608\988\CPK2020-608-26701.D Tgt Mass (CHM):
 Injection Date : 8 Jun 20 2:03 pm +0800 Seq. Line : 45
 Sample Name : CPK2020-608-26701 Location : P2-D-03
 Acq. Operator : ZJ_1432 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2020\20200608\988\1-POS-3MIN-1(50-1500).M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200608\988\1-POS-3MIN-1(50-1500).M
 Catalog No : HY-17405
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-314
 Oven Temperature : 45C



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.13	0.01	406.31	458.56	99.43	88
1.95	0.02	2.31	1.77	0.57	60

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.14	0.04	110208.12	42463.24	100.00	88

Ret. Time: 1.14

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

