




File ..\DATA\2018\20180625\275\CPK2018-621-18119.D Tgt Mass (CHM):
 Injection Date : 25 Jun 18 1:34 pm +0800 Seq. Line : 11
 Sample Name : CPK2018-621-18119 Location : P1-C-01
 Acq. Operator : LQ_1052 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2018\20180625\275\1-POS-3MIN-1.M
 Analysis Method : D:\CHEM32\1\DATA\2018\20180625\275\1-POS-3MIN-1.M
 Catalog No : HY-17430 Batch#18119 A-RP-314
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-314
 Oven Temperature : 45□



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.59	0.01	1.44	1.62	0.13	141
1.93	0.02	1093.96	1076.80	99.61	141
2.00	0.01	0.74	0.86	0.07	506
2.04	0.02	2.08	2.18	0.19	506

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.55	0.01	0.69	0.85	0.09	141
1.93	0.02	768.75	768.76	99.82	141
2.04	0.02	0.70	0.65	0.09	506

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
2.03	0.05	927955.56	270840.84	100.00	506

Ret. Time: 2.03

<<<< POSITIVE SPECTRA >>>>

