





File ..ATA\2019\20190225\543 1\CPK2019-221-20679.D Tgt Mass (CHM):
 Injection Date : 25 Feb 19 3:33 pm +0800 Seq. Line : 23
 Sample Name : CPK2019-221-20679 Location : P2-F-07
 Acq. Operator : LQ_1052 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2019\20190225\543 1\1-POS-3MIN-1.M
 Analysis Method : D:\CHEM32\1\DATA\2019\20190225\543 1\1-POS-3MIN-1.M
 Catalog No : HY-19341 Batch#20679
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-314
 Oven Temperature : 45



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.69	0.03	2252.10	1195.25	99.97	282
1.89	0.01	0.75	0.86	0.03	282

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.34	0.01	0.56	0.63	0.03	ND
1.69	0.02	2179.37	1512.60	99.97	282

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.70	0.04	1349362.63	462701.47	100.00	282

Ret. Time: 1.70

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

