



File ..TA\2020\20201203\1182\BIZ2020-D01-SCH4-1-.D Tgt Mass (CHM):

Injection Date : 3 Dec 20 4:46 pm +0800 Seq. Line : 91  
 Sample Name : BIZ2020-D01-SCH4-1 Location : P1-F-05  
 Acq. Operator : zyj\_1547 Inj : 1  
 Spec. Reported : MS Integration Inj Volume : 20 ul  
 Acq. Method : D:\Chem32\1\data\2020\20201203\1182\1-NEG-3MIN.CD.M  
 Analysis Method : D:\CHEM32\1\DATA\2020\20201203\1182\1-NEG-3MIN.CD.M  
 CAS NO. : 35807-85-3  
 Method Info : Negative,Positive,MS:100-1000,Column ID:A-RP-624,45


DAD1 B, Sig=214,4 Ref=off




MSD1 TIC, MS File ES-API, Neg, Scan, Frag: 50




MSD2 TIC, MS File ES-API, Neg, Scan, Frag: 50



Ion 499, MSD1 499, Target Mass 499 Negative, EIC=498.7:499.7



Ion 499, MSD2 499, Target Mass 499 Negative, EIC=498.7:499.7



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (-)	MS (-)
1.26	0.06	312.15	91.91	98.63	113	113
1.32	0.03	4.33	2.82	1.37	113	113


Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (-)	MS (-)
1.27	0.11	61190244.00	7818763.50	74.10	113	-
1.36	0.08	21386942.00	4511092.00	25.90	113	-


Integration Results for MSD2 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (-)	MS (-)
1.27	0.13	83529352.00	8545843.00	78.30	-	113
1.43	0.09	23153144.00	4299504.00	21.70	-	113


Ret. Time: 1.27 <<<< NEGATIVE SPECTRA >>>>



Ret. Time: 1.36



Ret. Time: 1.27 <<<< NEGATIVE SPECTRA >>>>



Ret. Time: 1.43

